# -online.com **QENOMICS**



Datasheet for ABIN3302070

## **Human KRTAP2-3 cDNA Clone in Mammalian Expression Vector**

Overview				
Quantity:	10 μg			
Gene:	KRTAP2-3			
Species:	Human			
Insert:	cDNA			
Vector:	Mammalian Expression Vector			
Application:	Protein Expression (PExp)			
Product Details				
Purpose:	Untagged full-length cDNA clone from Human KRTAP23 is ideal for over-expression of native protein for functional studies.			
Brand:	TrueClones®			
Vector Backbone:	pCMV6-Entry			
Promoter:	Enhanced CMV Promoter			
Selectable Marker:	Neomycin			
Bacterial Resistance:	Kanamycin			
Expression Type:	Transient			
Specificity:	With the native stop codon at the end of the ORF the C-terminal Myc-DDK tag in the vector won't be expressed.			
Characteristics:	<ul> <li>These cDNA clones are isolated from full-length cDNA libraries and usually contain the coding sequence as well as the untranslated regions (UTRs) of the mRNA transcript appropriate to the library from which they were isolated.</li> <li>These cDNA clones are ideal for over-expression of native proteins for functional studies. Provided as 10 µg transfection-ready plasmids.</li> <li>Every lot of primer is tested to provide clean sequencing of cDNA clones.</li> </ul>			

### **Product Details** The DNAs were purified using PowerPrep HP Plasmid isolation kits for transfection ready Purification: plasmids. Sequencing Primer: VP1.5 (forward) 5'GGACTTTCCAAAATGTCG 3', XL39 (reverse) 5'ATTAGGACAAGGCTGGTGGG Components: • The cDNA clone is shipped in a 2-D bar-coded Matrix tube as dried plasmid DNA. • The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials. **Target Details** Gene: KRTAP2-3 KRTAP23 Alternative Name: Background: In the hair cortex, hair keratin intermediate filaments are embedded in an interfilamentous matrix, consisting of hair keratin-associated proteins (KRTAP), which are essential for the formation of a rigid and resistant hair shaft through their extensive disulfide bond cross-linking with abundant cysteine residues of hair keratins. The matrix proteins include the high-sulfur and high-glycine-tyrosine keratins. [UniProtKB/Swiss-Prot Function]

#### **Application Details**

NCBI Accession:

Restrictions: For Research Use only

NM\_181624, NP\_853655

#### Handling

Format:	Lyophilized
Storage:	RT,-20 °C
Storage Comment:	The lyophilized plasmid is stable for up to one year when stored at ambient temperature. Following dissolution in 100 $\mu$ L dH2O, store at -20 °C. Lyophilized primers are stable for up to one year when stored at ambient temperature. Following dissolution in 10 $\mu$ L dH2O, store at -20 °C.
Expiry Date:	12 months

#### **Publications**

Produ	+	ai+ad	in.
Prodi	ICT	CITEC	ın.

Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)