-online.com **QENOMICS**



Datasheet for ABIN3303268

Human OR13C8 cDNA Clone in Mammalian Expression Vector

Overview						
Quantity:	10 μg					
Gene:	OR13C8					
Species:	Human					
Insert:	cDNA					
Vector:	Mammalian Expression Vector					
Application:	Protein Expression (PExp)					
Product Details						
Purpose:	Untagged full-length cDNA clone from Human OR13C8 is ideal for over-expression of native					
	protein for functional studies.					
Brand:	TrueClones®					
Vector Backbone:	pCMV6-Entry					
Promoter:	Enhanced CMV Promoter					
Selectable Marker:	Neomycin					
Bacterial Resistance:	Kanamycin					
Expression Type:	Transient					
Specificity:	With the native stop codon at the end of the ORF the C-terminal Myc-DDK tag in the vector won't be expressed.					
Characteristics:	 These cDNA clones are isolated from full-length cDNA libraries and usually contain the coding sequence as well as the untranslated regions (UTRs) of the mRNA transcript appropriate to the library from which they were isolated. These cDNA clones are ideal for over-expression of native proteins for functional studies. Provided as 10 µg transfection-ready plasmids. Every lot of primer is tested to provide clean sequencing of cDNA clones. 					

Product Details Purification: The DNAs were purified using PowerPrep HP Plasmid isolation kits for transfection ready plasmids. Sequencing Primer: VP1.5 (forward) 5'GGACTTTCCAAAATGTCG 3', XL39 (reverse) 5'ATTAGGACAAGGCTGGTGGG • The cDNA clone is shipped in a 2-D bar-coded Matrix tube as dried plasmid DNA. Components: · The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials. **Target Details** Gene: **OR13C8** Alternative Name: OR13C8 (OR13C8 Products) Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response Background: that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008]. NCBI Accession: NM_001004483, NP_001004483 **Application Details** Restrictions: For Research Use only Handling Format: Lyophilized RT,-20 °C Storage: Storage Comment: The lyophilized plasmid is stable for up to one year when stored at ambient temperature. Following dissolution in 100 µL dH20, store at -20 °C. Lyophilized primers are stable for up to one year when stored at ambient temperature. Following dissolution in 10 µL dH2O, store at -20 °C.

12 months

Expiry Date:

Publications

_	$r \cap$	Aı.	101	~ 11	ted	ın	•
	ינוו	u	11.11	(,)		- 11 1	

Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)