-online.com **QENOMICS**





Human SSX7 cDNA Clone in Mammalian Expression Vector

Overview		
Quantity:	10 μg	
Gene:	SSX7	
Species:	Human	
Insert:	cDNA	
Vector:	Mammalian Expression Vector	
Application:	Protein Expression (PExp)	
Product Details		
Purpose:	Untagged full-length cDNA clone from Human SSX7 is ideal for over-expression of native protein for functional studies.	
Brand:	TrueClones®	
Vector Backbone:	pCMV6-Entry	
Promoter:	Enhanced CMV Promoter	
Selectable Marker:	Neomycin	
Bacterial Resistance:	Kanamycin	
Expression Type:	Transient	
Specificity:	With the native stop codon at the end of the ORF the C-terminal Myc-DDK tag in the vector won't be expressed.	
Characteristics:	 These cDNA clones are isolated from full-length cDNA libraries and usually contain the coding sequence as well as the untranslated regions (UTRs) of the mRNA transcript appropriate to the library from which they were isolated. These cDNA clones are ideal for over-expression of native proteins for functional studies. Provided as 10 µg transfection-ready plasmids. Every lot of primer is tested to provide clean sequencing of cDNA clones. 	

Product Details Purification: The DNAs were purified using PowerPrep HP Plasmid isolation kits for transfection ready plasmids. Sequencing Primer: VP1.5 (forward) 5'GGACTTTCCAAAATGTCG 3', XL39 (reverse) 5'ATTAGGACAAGGCTGGTGGG • The cDNA clone is shipped in a 2-D bar-coded Matrix tube as dried plasmid DNA. Components: • The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials. **Target Details** Gene: SSX7 Alternative Name: SSX7 (SSX7 Products) Background: The product of this gene belongs to the family of highly homologous synovial sarcoma X (SSX) breakpoint proteins. These proteins may function as transcriptional repressors. They are also capable of eliciting spontaneously humoral and cellular immune responses in cancer patients, and are potentially useful targets in cancer vaccine-based immunotherapy. SSX1, SSX2 and SSX4 genes have been involved in the t(X,18) translocation characteristically found in all synovial sarcomas. This gene appears not to be involved in this type of chromosome translocation. [provided by RefSeq, Jul 2008]. NCBI Accession: NM_173358, NP_775494 **Application Details** Restrictions: For Research Use only Handling Format: Lyophilized Storage: RT,-20 °C Storage Comment: The lyophilized plasmid is stable for up to one year when stored at ambient temperature. Following dissolution in 100 μ L dH2O, store at -20 °C. Lyophilized primers are stable for up to one year when stored at ambient temperature. Following dissolution in 10 µL dH2O, store at -20 °C.

12 months

Expiry Date:

Publications

Product	cited	in:

Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)