-online.com **QENOMICS**



Datasheet for ABIN3305838

Human TCEB3C cDNA Clone in Mammalian Expression Vector

Overview						
Quantity:	10 μg					
Gene:	TCEB3C					
Species:	Human					
Insert:	cDNA					
Vector:	Mammalian Expression Vector					
Application:	Protein Expression (PExp)					
Product Details						
Purpose:	Untagged full-length cDNA clone from Human TCEB3C is ideal for over-expression of native protein for functional studies.					
Brand:	TrueClones®					
Vector Backbone:	pCMV6-Entry					
Promoter:	Enhanced CMV Promoter					
Selectable Marker:	Neomycin					
Bacterial Resistance:	Kanamycin					
Expression Type:	Transient					
Specificity:	With the native stop codon at the end of the ORF the C-terminal Myc-DDK tag in the vector won't be expressed.					
Characteristics:	 These cDNA clones are isolated from full-length cDNA libraries and usually contain the coding sequence as well as the untranslated regions (UTRs) of the mRNA transcript appropriate to the library from which they were isolated. These cDNA clones are ideal for over-expression of native proteins for functional studies. Provided as 10 µg transfection-ready plasmids. Every lot of primer is tested to provide clean sequencing of cDNA clones. 					

Product Details Purification: The DNAs were purified using PowerPrep HP Plasmid isolation kits for transfection ready plasmids. Sequencing Primer: VP1.5 (forward) 5'GGACTTTCCAAAATGTCG 3', XL39 (reverse) 5'ATTAGGACAAGGCTGGTGGG • The cDNA clone is shipped in a 2-D bar-coded Matrix tube as dried plasmid DNA. Components: • The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials. **Target Details** Gene: TCEB3C Alternative Name: TCEB3C (TCEB3C Products) Background: The SIII (or elongin) transcription elongation factor complex stimulates the rate of transcription elongation by RNA polymerase II by suppressing the transient pausing of the polymerase at many sites along the DNA template. This complex is a heterotrimer, composed of the transcriptionally active subunit A, A2 or A3 (or elongin A, A2 or A3) and two regulatory subunits, B and C (or elongin B and C). This gene encodes subunit A3. A3 and A are ubiquitously expressed, whereas A2 is specifically expressed in the testis. [provided by RefSeq, Mar 2010]. NCBI Accession: NM_145653, NP_663628 **Application Details** For Research Use only Restrictions: Handling Format: Lyophilized

Format: Lyophilized Storage: RT,-20 °C Storage Comment: The lyophilized plasmid is stable for up to one year when stored at ambient temperature. Following dissolution in 100 μL dH2O, store at -20 °C. Lyophilized primers are stable for up to one year when stored at ambient temperature. Following dissolution in 10 μL dH2O, store at -20 °C.

12 months

Expiry Date:

Publications

_	$r \cap$	Aı.	101	~ 11	ted	ın	•
	ינוו	u	11.11	(,)		- 11 1	

Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)