-online.com **QENOMICS**



Datasheet for ABIN3306255

Human TRIM34 cDNA Clone in Mammalian Expression Vector

Overview	
Quantity:	10 μg
Gene:	TRIM34
Species:	Human
Insert:	cDNA
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Untagged full-length cDNA clone from Human TRIM34 is ideal for over-expression of native
	protein for functional studies.
Brand:	TrueClones®
Vector Backbone:	pCMV6-Entry
Promoter:	Enhanced CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Kanamycin
Expression Type:	Transient
Specificity:	With the native stop codon at the end of the ORF the C-terminal Myc-DDK tag in the vector won't be expressed.
Characteristics:	 These cDNA clones are isolated from full-length cDNA libraries and usually contain the coding sequence as well as the untranslated regions (UTRs) of the mRNA transcript appropriate to the library from which they were isolated. These cDNA clones are ideal for over-expression of native proteins for functional studies. Provided as 10 µg transfection-ready plasmids. Every lot of primer is tested to provide clean sequencing of cDNA clones.

Product Details Purification: The DNAs were purified using PowerPrep HP Plasmid isolation kits for transfection ready plasmids. Sequencing Primer: VP1.5 (forward) 5'GGACTTTCCAAAATGTCG 3', XL39 (reverse) 5'ATTAGGACAAGGCTGGTGGG • The cDNA clone is shipped in a 2-D bar-coded Matrix tube as dried plasmid DNA. Components: • The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials. **Target Details** Gene: TRIM34 Alternative Name: TRIM34 (TRIM34 Products) The protein encoded by this gene is a member of the tripartite motif (TRIM) family. The TRIM Background: motif includes three zinc-binding domains, a RING, B-box type 1 and B-box type 2 domain, and a coiled-coil region. Expression of this gene is up-regulated by interferon. This gene is mapped to chromosome 11p15, where it resides within a TRIM gene cluster. Alternative splicing results in multiple transcript variants. A read-through transcript from the upstream TRIM6 gene has also been observed, which results in a fusion product from these neighboring family members. [provided by RefSeq, Oct 2010]. Transcript Variant: This variant (3) lacks several 3' exons but includes a unique segment at its 3' end, compared to variant 1. The encoded isoform (3, also known as the short form) has a distinct and shorter C-terminus, compared to isoform 1. The 5' UTR is incomplete due to a lack of 5'-complete transcripts representing this variant and the presence of splicing ambiguity in the 5' region. NCBI Accession: NM_130390, NP_569074 **Application Details** Restrictions: For Research Use only Handling Lyophilized Format: RT,-20 °C Storage:

The lyophilized plasmid is stable for up to one year when stored at ambient temperature.

Following dissolution in 100 µL dH20, store at -20 °C. Lyophilized primers are stable for up to

Storage Comment:

Handling one year when stored at ambient temperature. Following dissolution in 10 μL dH2O, store at -20 °C. Expiry Date: 12 months Publications Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)