-online.com **genomics**



Datasheet for ABIN3307740

Mouse LINC01420 cDNA Clone in Mammalian Expression Vector (Myc-DYKDDDK Tag)

Overview	
Quantity:	10 μg
Gene:	NBDY
Species:	Mouse
Insert:	cDNA
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Untagged full-length cDNA clone from Mouse (Murine) 2210013021Rik is ideal for over-expression of native protein for functional studies.
Brand:	TrueClones®
Insert Length:	132 bp
Vector Backbone:	pCMV6-Entry
Promoter:	Enhanced CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Kanamycin
Expression Type:	Transient
Specificity:	Restriction Site: Sgfl-Mlul. With the native stop codon at the end of the ORF the C-terminal Myc-DDK tag in the vector won't be expressed.
Characteristics:	 These cDNA clones are isolated from full-length cDNA libraries and usually contain the coding sequence as well as the untranslated regions (UTRs) of the mRNA transcript appropriate to the library from which they were isolated.

Product Details

	 These cDNA clones are ideal for over-expression of native proteins for functional studies. Provided as 10 µg transfection-ready plasmids. Every lot of primer is tested to provide clean sequencing of cDNA clones.
Purification:	The DNAs were purified using PowerPrep HP Plasmid isolation kits for transfection ready plasmids.
Sequencing Primer:	VP1.5 (forward) 5'GGACTTTCCAAAATGTCG 3', XL39 (reverse) 5'ATTAGGACAAGGCTGGTGGG 3'
Grade:	End-sequenced
Components:	 The cDNA clone is shipped in a 2-D bar-coded Matrix tube as dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in

separate vials.

Target Details

Gene:	NBDY
Alternative Name:	2210013021Rik
Background:	The protein encoded by this gene is a 43 aa peptide produced by early activated CD4+ T cells. The encoded protein helps regulate the differentiation of these cells into T helper 2 (Th2) cells.
	The solution structure of this protein is similar to that of vasoactive intestinal peptide, which plays a role in the differentiation of Th2 cells and Treg cells. [provided by RefSeq, Jun 2012].
NCBI Accession:	NM_027327, NP_081603
NODI ACCESSION.	TVIVI_027327, TVI _001003

Application Details

Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Storage:	RT,-20 °C
Storage Comment:	The lyophilized plasmid is stable for up to one year when stored at ambient temperature.
	Following dissolution in 100 μ L dH2O, store at -20 $^{\circ}$ C. Lyophilized primers are stable for up to
	one year when stored at ambient temperature. Following dissolution in 10 μ L dH2O, store at -20
	°C.

Handling	
Expiry Date:	12 months
Publications	
Product cited in:	Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (