

Datasheet for ABIN3318816

Human DEFA1B cDNA Clone in Mammalian Expression Vector

Overview

Quantity:	10 µg
Gene:	DEFA1B
Species:	Human
Insert:	cDNA
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PEXP)

Product Details

Purpose:	Untagged full-length cDNA clone from Human DEFA1B is ideal for over-expression of native protein for functional studies.
Brand:	TrueClones®
Vector Backbone:	pCMV6-AC
Promoter:	Enhanced CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Specificity:	Restriction Site: RsrII-NotI
Characteristics:	<ul style="list-style-type: none"> • These cDNA clones are isolated from full-length cDNA libraries and usually contain the coding sequence as well as the untranslated regions (UTRs) of the mRNA transcript appropriate to the library from which they were isolated. • These cDNA clones are ideal for over-expression of native proteins for functional studies. Provided as 10 µg transfection-ready plasmids. • Every lot of primer is tested to provide clean sequencing of cDNA clones.
Purification:	The DNAs were purified using PowerPrep HP Plasmid isolation kits for transfection ready

Order at www.genomics-online.com

USA & Canada: +1 877 302 8632 | support@antibodies-online.com

Product Details

plasmids.

Sequencing Primer: VP1.5 (forward) 5'GGACTTTCCAAAATGTTCG 3', XL39 (reverse) 5'ATTAGGACAAGGCTGGTGGG 3'

Components:

- The cDNA clone is shipped in a 2-D bar-coded Matrix tube as dried plasmid DNA.
- The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.

Target Details

Gene: DEFA1B

Alternative Name: DEFA1B ([DEFA1B Products](#))

Background: Defensins are a family of antimicrobial and cytotoxic peptides thought to be involved in host defense. They are abundant in the granules of neutrophils and also found in the epithelia of mucosal surfaces such as those of the intestine, respiratory tract, urinary tract, and vagina. Members of the defensin family are highly similar in protein sequence and distinguished by a conserved cysteine motif. The protein encoded by this gene, defensin, alpha 1, is found in the microbicidal granules of neutrophils and likely plays a role in phagocyte-mediated host defense. Several alpha defensin genes are clustered on chromosome 8. This gene differs from defensin, alpha 3 by only one amino acid. This gene and the gene encoding defensin, alpha 3 are both subject to copy number variation. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Oct 2014]. Transcript Variant: This variant (2) lacks an alternate exon in the 5' coding region and initiates translation at a downstream start site compared to variant 1. The resulting isoform (2) is shorter at the N-terminus compared to isoform 1.

NCBI Accession: [NM_001042500](#), [NP_001035965](#)

Application Details

Restrictions: For Research Use only

Handling

Format: Lyophilized

Storage: RT, -20 °C

Storage Comment: The lyophilized plasmid is stable for up to one year when stored at ambient temperature.

Order at www.genomics-online.com

USA & Canada: +1 877 302 8632 | support@antibodies-online.com

Handling

Following dissolution in 100 µL dH₂O, store at -20 °C. Lyophilized primers are stable for up to one year when stored at ambient temperature. Following dissolution in 10 µL dH₂O, store at -20 °C.

Expiry Date: 12 months

Publications

Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)