

Datasheet for ABIN3319403

Human TARP cDNA Clone in Mammalian Expression Vector

Overview

Quantity:	10 µg
Gene:	TARP
Species:	Human
Insert:	cDNA
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PEXP)

Product Details

Purpose:	Untagged full-length cDNA clone from Human TARP is ideal for over-expression of native protein for functional studies.
Brand:	TrueClones®
Vector Backbone:	pCMV6-AC
Promoter:	Enhanced CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Specificity:	Restriction Site: RsrII-NotI
Characteristics:	<ul style="list-style-type: none"> • These cDNA clones are isolated from full-length cDNA libraries and usually contain the coding sequence as well as the untranslated regions (UTRs) of the mRNA transcript appropriate to the library from which they were isolated. • These cDNA clones are ideal for over-expression of native proteins for functional studies. Provided as 10 µg transfection-ready plasmids. • Every lot of primer is tested to provide clean sequencing of cDNA clones.
Purification:	The DNAs were purified using PowerPrep HP Plasmid isolation kits for transfection ready

Order at www.genomics-online.com

USA & Canada: +1 877 302 8632 | support@antibodies-online.com

Page 1/3 | Product datasheet for ABIN3319403 | 09/13/2023 | Copyright antibodies-online. All rights reserved.

Product Details

	plasmids.
Sequencing Primer:	VP1.5 (forward) 5'GGACTTTCCAAAATGTCTG 3', XL39 (reverse) 5'ATTAGGACAAGGCTGGTGGG 3'
Components:	<ul style="list-style-type: none">• The cDNA clone is shipped in a 2-D bar-coded Matrix tube as dried plasmid DNA.• The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.

Target Details

Gene:	TARP
Alternative Name:	TARP (TARP Products)
Background:	<p>In some non-lymphoid tissues, the unrearranged T cell receptor gamma (TRG@) locus is expressed. The resulting transcript contains a subset of the TRG@ gene segments and is shorter than TRG@ transcripts expressed in lymphoid tissues. This RefSeq record represents the unrearranged TRG@ locus transcript, the complete TRG@ locus is represented by the genomic RefSeq NG_001336. The transcript represented by this RefSeq has two open reading frames (ORFs) that encode different proteins. The downstream ORF is in the same frame as TRG@ and its protein product is similar to TRG@ proteins. The upstream ORF uses a different reading frame and encodes a novel protein. [provided by RefSeq, Jul 2008].</p> <p>Transcript Variant: This variant (1) uses the upstream ORF. The resulting protein (isoform 1) localizes to the outer mitochondrial membrane.</p>
NCBI Accession:	NM_001003799 , NP_001003799

Application Details

Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Storage:	RT, -20 °C
Storage Comment:	<p>The lyophilized plasmid is stable for up to one year when stored at ambient temperature. Following dissolution in 100 µL dH₂O, store at -20 °C. Lyophilized primers are stable for up to one year when stored at ambient temperature. Following dissolution in 10 µL dH₂O, store at -20 °C.</p>

Order at www.genomics-online.com

USA & Canada: +1 877 302 8632 | support@antibodies-online.com

Page 2/3 | Product datasheet for ABIN3319403 | 09/13/2023 | Copyright antibodies-online. All rights reserved.

Handling

Expiry Date: 12 months

Publications

Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)