-online.com genomics

Datasheet for ABIN3366127 Human PSG7 cDNA Clone in Mammalian Expression Vector

| Overview | |
|-----------------|--|
| Quantity: | 10 µg |
| Gene: | PSG7 |
| Species: | Human |
| Insert: | cDNA |
| Vector: | Mammalian Expression Vector |
| Application: | Protein Expression (PExp) |
| Product Details | |
| Purpose: | Untagged full-length cDNA clone from Human PSG7 is ideal for over-expression of native |
| | protein for functional studies. |

| | protein for functional studies. |
|-----------------------|--|
| Brand: | TrueClones® |
| Vector Backbone: | pCMV6-Entry |
| Promoter: | Enhanced CMV Promoter |
| Selectable Marker: | Neomycin |
| Bacterial Resistance: | Kanamycin |
| Expression Type: | Transient |
| Specificity: | Restriction Site: SgfI-MluI. With the native stop codon at the end of the ORF the C-terminal Myc- DDK tag in the vector won't be expressed. |
| Characteristics: | These cDNA clones are isolated from full-length cDNA libraries and usually contain the coding sequence as well as the untranslated regions (UTRs) of the mRNA transcript appropriate to the library from which they were isolated. These cDNA clones are ideal for over-expression of native proteins for functional studies. Provided as 10 µg transfection-ready plasmids. Every lot of primer is tested to provide clean sequencing of cDNA clones. |

Product Details

| Purification: | The DNAs were purified using PowerPrep HP Plasmid isolation kits for transfection ready plasmids. |
|--------------------|---|
| Sequencing Primer: | VP1.5 (forward) 5'GGACTTTCCAAAATGTCG 3', XL39 (reverse) 5'ATTAGGACAAGGCTGGTGGG 3' |
| Components: | The cDNA clone is shipped in a 2-D bar-coded Matrix tube as dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials. |

Target Details

| Gene: | PSG7 |
|---------------------|--|
| Alternative Name: | PSG7 (PSG7 Products) |
| Background: | This gene is a member of the pregnancy-specific glycoprotein (PSG) gene family. The PSG |
| | genes are a subgroup of the carcinoembryonic antigen (CEA) family of immunoglobulin-like |
| | genes, and are found in a gene cluster at 19q13.1-q13.2 telomeric to another cluster of CEA- |
| | related genes. The PSG genes are expressed by placental trophoblasts and released into the |
| | maternal circulation during pregnancy, and are thought to be essential for maintenance of |
| | normal pregnancy. Alternative splicing results in multiple transcript variants. [provided by |
| | RefSeq, Feb 2014].Transcript Variant: This variant (1, short) differs at only 1 nt compared to |
| | variant 1, which causes translation initiation at a downstream AUG. The resulting isoform (3) is |
| | shorter at the N-terminus compared to isoform 1. |
| NCBI Accession: | NM_001290042, NP_001276971 |
| Application Details | |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Lyophilized |
| Storage: | RT,-20 °C |
| Storage Comment: | The lyophilized plasmid is stable for up to one year when stored at ambient temperature. |
| | Following dissolution in 100 μL dH2O, store at -20 °C. Lyophilized primers are stable for up to |
| | one year when stored at ambient temperature. Following dissolution in 10 μ L dH2O, store at -20 |
| | °C. |
| | |

| Handling | |
|-------------------|---|
| Expiry Date: | 12 months |
| Publications | |
| Product cited in: | Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991) |