-online.com Genomics

Datasheet for ABIN3367312

Mouse REG1 cDNA Clone in Mammalian Expression Vector (Myc-DYKDDDDK Tag)

Overview

Quantity:	10 µg
Gene:	REG1
Species:	Mouse
Insert:	cDNA
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)

Product Details

Purpose:	Untagged full-length cDNA clone from Mouse (Murine) Reg1 is ideal for over-expression of native protein for functional studies.
Brand:	TrueClones®
Insert Length:	498 bp
Vector Backbone:	pCMV6-Entry
Promoter:	Enhanced CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Kanamycin
Expression Type:	Transient
Specificity:	Restriction Site: Sgfl-Mlul. With the native stop codon at the end of the ORF the C-terminal Myc- DDK tag in the vector won't be expressed.
Characteristics:	 These cDNA clones are isolated from full-length cDNA libraries and usually contain the coding sequence as well as the untranslated regions (UTRs) of the mRNA transcript appropriate to the library from which they were isolated.

	 These cDNA clones are ideal for over-expression of native proteins for functional studies. Provided as 10 µg transfection-ready plasmids. Every lot of primer is tested to provide clean sequencing of cDNA clones.
Purification:	The DNAs were purified using PowerPrep HP Plasmid isolation kits for transfection ready plasmids.
Sequencing Primer:	VP1.5 (forward) 5'GGACTTTCCAAAATGTCG 3', XL39 (reverse) 5'ATTAGGACAAGGCTGGTGGG 3'
Grade:	End-sequenced
Components:	 The cDNA clone is shipped in a 2-D bar-coded Matrix tube as dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.

Target Details

Gene:	REG1
Alternative Name:	Reg1 (REG1 Products)
Background:	Might act as an inhibitor of spontaneous calcium carbonate precipitation. [UniProtKB/Swiss- Prot Function]
NCBI Accession:	NM_009042, NP_033068
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Storage:	RT,-20 °C
Storage Comment:	The lyophilized plasmid is stable for up to one year when stored at ambient temperature. Following dissolution in 100 μ L dH2O, store at -20 °C. Lyophilized primers are stable for up to one year when stored at ambient temperature. Following dissolution in 10 μ L dH2O, store at -20 °C.

Publications	
Product cited in:	Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (
	1991)