-online.com **QENOMICS**



Datasheet for ABIN3367314

Mouse REG2 cDNA Clone in Mammalian Expression Vector (Myc-DYKDDDDK Tag)

Overview	
Quantity:	10 μg
Gene:	REG2
Species:	Mouse
Insert:	cDNA
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Untagged full-length cDNA clone from Mouse (Murine) Reg2 is ideal for over-expression of native protein for functional studies.
Brand:	TrueClones®
Insert Length:	522 bp
Vector Backbone:	pCMV6-Entry
Promoter:	Enhanced CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Kanamycin
Expression Type:	Transient
Specificity:	Restriction Site: Sgfl-Mlul. With the native stop codon at the end of the ORF the C-terminal Myc-DDK tag in the vector won't be expressed.
Characteristics:	 These cDNA clones are isolated from full-length cDNA libraries and usually contain the coding sequence as well as the untranslated regions (UTRs) of the mRNA transcript appropriate to the library from which they were isolated.

Product Details

	 These cDNA clones are ideal for over-expression of native proteins for functional studies. Provided as 10 µg transfection-ready plasmids. Every lot of primer is tested to provide clean sequencing of cDNA clones.
Purification:	The DNAs were purified using PowerPrep HP Plasmid isolation kits for transfection ready plasmids.
Sequencing Primer:	VP1.5 (forward) 5'GGACTTTCCAAAATGTCG 3', XL39 (reverse) 5'ATTAGGACAAGGCTGGTGGG
Grade:	End-sequenced
Components:	 The cDNA clone is shipped in a 2-D bar-coded Matrix tube as dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in

separate vials.

For Research Use only

Target Details

Gene:	REG2
Alternative Name:	Reg2 (REG2 Products)
Background:	Might act as an inhibitor of spontaneous calcium carbonate precipitation. [UniProtKB/Swiss-Prot Function]
NCBI Accession:	NM_009043, NP_033069

Application Details

Restrictions:

Handling	
Format:	Lyophilized
Storage:	RT,-20 °C
Storage Comment:	The lyophilized plasmid is stable for up to one year when stored at ambient temperature. Following dissolution in 100 μ L dH20, store at -20 °C. Lyophilized primers are stable for up to one year when stored at ambient temperature. Following dissolution in 10 μ L dH20, store at -20 °C.
Expiry Date:	12 months

Publications

Product cit	ed in:

Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)