-online.com genomics

Characteristics:

Datasheet for ABIN3369604 Human SERPINA2P cDNA Clone in Mammalian Expression Vector

Overview	
Quantity:	10 µg
Gene:	SERPINA2P
Species:	Human
Insert:	cDNA
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Untagged full-length cDNA clone from Human SERPINA2 is ideal for over-expression of native protein for functional studies.
Purpose: Brand:	
	protein for functional studies.
Brand:	protein for functional studies. TrueClones®
Brand: Vector Backbone:	protein for functional studies. TrueClones® pCMV6-Entry
Brand: Vector Backbone: Promoter:	protein for functional studies. TrueClones® pCMV6-Entry Enhanced CMV Promoter
Brand: Vector Backbone: Promoter: Selectable Marker:	protein for functional studies. TrueClones® pCMV6-Entry Enhanced CMV Promoter Neomycin

Restriction Site: SgfI-MluI. With the native stop codon at the end of the ORF the C-terminal Myc-DDK tag in the vector won't be expressed.

- These cDNA clones are isolated from full-length cDNA libraries and usually contain the coding sequence as well as the untranslated regions (UTRs) of the mRNA transcript appropriate to the library from which they were isolated.
 - These cDNA clones are ideal for over-expression of native proteins for functional studies.
 Provided as 10 µg transfection-ready plasmids.
 - Every lot of primer is tested to provide clean sequencing of cDNA clones.

Product Details

Purification:	The DNAs were purified using PowerPrep HP Plasmid isolation kits for transfection ready plasmids.
Sequencing Primer:	VP1.5 (forward) 5'GGACTTTCCAAAATGTCG 3', XL39 (reverse) 5'ATTAGGACAAGGCTGGTGGG 3'
Components:	 The cDNA clone is shipped in a 2-D bar-coded Matrix tube as dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.

Target Details

Gene:	SERPINA2P
Alternative Name:	SERPINA2 (SERPINA2P Products)
Background:	This gene encodes a member of the serpin family of proteins, a group of proteins that inhibit serine proteases. The encoded intracellular glycoprotein is localized at the endoplasmic reticulum. This gene is a polymorphic pseudogene, with the non-functional allele being predominant in some populations. Some individuals, as represented by the reference genome allele, contain a 2kb coding region deletion and a start code mutation. [provided by RefSeq, Feb 2014].Transcript Variant: This variant (1) represents the protein coding transcript. This allele is not found in the reference genome.
NCBI Accession:	NM_006220, NP_006211
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Storage:	RT,-20 °C
Storage Comment:	The lyophilized plasmid is stable for up to one year when stored at ambient temperature. Following dissolution in 100 μ L dH2O, store at -20 °C. Lyophilized primers are stable for up to one year when stored at ambient temperature. Following dissolution in 10 μ L dH2O, store at -20 °C.
Expiry Date:	12 months

Publications	
Product cited in:	Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (
	1991)