## -online.com **QENOMICS**





## **Human ZNF736 cDNA Clone in Mammalian Expression Vector**

Overview	
Quantity:	10 μg
Gene:	ZNF736
Species:	Human
Insert:	cDNA
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Untagged full-length cDNA clone from Human ZNF736 is ideal for over-expression of native
	protein for functional studies.
Brand:	TrueClones®
Vector Backbone:	pCMV6-Entry
Promoter:	Enhanced CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Kanamycin
Expression Type:	Transient
Specificity:	Restriction Site: Sgfl-Mlul. With the native stop codon at the end of the ORF the C-terminal Myc-DDK tag in the vector won't be expressed.
Characteristics:	<ul> <li>These cDNA clones are isolated from full-length cDNA libraries and usually contain the coding sequence as well as the untranslated regions (UTRs) of the mRNA transcript appropriate to the library from which they were isolated.</li> <li>These cDNA clones are ideal for over-expression of native proteins for functional studies. Provided as 10 µg transfection-ready plasmids.</li> <li>Every lot of primer is tested to provide clean sequencing of cDNA clones.</li> </ul>

## **Product Details** Purification: The DNAs were purified using PowerPrep HP Plasmid isolation kits for transfection ready plasmids. Sequencing Primer: VP1.5 (forward) 5'GGACTTTCCAAAATGTCG 3', XL39 (reverse) 5'ATTAGGACAAGGCTGGTGGG • The cDNA clone is shipped in a 2-D bar-coded Matrix tube as dried plasmid DNA. Components: · The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials. **Target Details** Gene: ZNF736 Alternative Name: ZNF736 (ZNF736 Products) Background: Transcript Variant: This variant (2) lacks an exon and its transcription extends past a splice junction used in variant 1, resulting in a different 3' UTR and 3' coding region, compared to variant 1. The encoded isoform (2) has a distinct C-terminus and is shorter than isoform 1. NCBI Accession: NM\_001294255, NP\_001281184 **Application Details** Restrictions: For Research Use only Handling Format: Lyophilized Storage: RT,-20 °C Storage Comment: The lyophilized plasmid is stable for up to one year when stored at ambient temperature. Following dissolution in 100 µL dH20, store at -20 °C. Lyophilized primers are stable for up to one year when stored at ambient temperature. Following dissolution in 10 $\mu$ L dH2O, store at -20 °C. 12 months **Expiry Date: Publications**

Product cited in:

Nair, Pathi, Jutooru, Sreevalsan, Basha, Abdelrahim, Samudio, Safe: "Metformin inhibits pancreatic cancer cell and tumor growth and downregulates Sp transcription factors." in:

Carcinogenesis, Vol. 34, Issue 12, pp. 2870-9, (2013) (PubMed).

Jutooru, Chadalapaka, Abdelrahim, Basha, Samudio, Konopleva, Andreeff, Safe: "Methyl 2-cyano-3,12-dioxooleana-1,9-dien-28-oate decreases specificity protein transcription factors and inhibits pancreatic tumor growth: role of microRNA-27a." in: **Molecular pharmacology**, Vol. 78, Issue 2, pp. 226-36, (2010) (PubMed).

Villar, Arenas, MacCarthy, Blánquez, Tirado, Notario: "PCPH/ENTPD5 expression enhances the invasiveness of human prostate cancer cells by a protein kinase C delta-dependent mechanism." in: **Cancer research**, Vol. 67, Issue 22, pp. 10859-68, (2007) (PubMed).