# -online.com genomics



Datasheet for ABIN3376200

## Mouse TAGAP1 cDNA Clone in Mammalian Expression Vector (Myc-DYKDDDK Tag)

Overview	
Quantity:	10 μg
Gene:	Tagap1 (TAGAP1)
Species:	Mouse
Insert:	cDNA
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Untagged full-length cDNA clone from Mouse (Murine) Tagap1 is ideal for over-expression of native protein for functional studies.
Brand:	TrueClones®
Insert Length:	1518 bp
Vector Backbone:	pCMV6-Entry
Promoter:	Enhanced CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Kanamycin
Expression Type:	Transient
Specificity:	Restriction Site: Sgfl-RsrII. With the native stop codon at the end of the ORF the C-terminal Myc-DDK tag in the vector won't be expressed.
Characteristics:	<ul> <li>These cDNA clones are isolated from full-length cDNA libraries and usually contain the coding sequence as well as the untranslated regions (UTRs) of the mRNA transcript appropriate to the library from which they were isolated.</li> </ul>

#### **Product Details**

- These cDNA clones are ideal for over-expression of native proteins for functional studies. Provided as 10 µg transfection-ready plasmids.
  - Every lot of primer is tested to provide clean sequencing of cDNA clones.

Purification: The DNAs were purified using PowerPrep HP Plasmid isolation kits for transfection ready plasmids.

Sequencing Primer: VP1.5 (forward) 5'GGACTTTCCAAAATGTCG 3', XL39 (reverse) 5'ATTAGGACAAGGCTGGTGGG

12 months

Grade: End-sequenced

• The cDNA clone is shipped in a 2-D bar-coded Matrix tube as dried plasmid DNA. Components:

> • The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.

#### Target Details

Gene:	Tagap1 (TAGAP1)
Alternative Name:	Tagap1
NCBI Accession:	NM_147155, NP_671511

#### **Application Details**

For Research Use only Restrictions:

#### Handling

Format:	Lyophilized
Storage:	RT,-20 °C
Storage Comment:	The lyophilized plasmid is stable for up to one year when stored at ambient temperature. Following dissolution in 100 $\mu$ L dH20, store at -20 °C. Lyophilized primers are stable for up to one year when stored at ambient temperature. Following dissolution in 10 $\mu$ L dH20, store at -20 °C.

### **Publications**

**Expiry Date:** 

Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, ( 1991)