

Datasheet for ABIN3381326

## Human HPR cDNA Clone in Mammalian Expression Vector

### Overview

Quantity:	10 µg
Gene:	HPR
Species:	Human
Insert:	cDNA
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PEXP)

### Product Details

Purpose:	Untagged full-length cDNA clone from Human HPR is ideal for over-expression of native protein for functional studies.
Brand:	TrueClones®
Insert Length:	1300 bp
Vector Backbone:	pCMV6-XL4
Promoter:	Enhanced CMV Promoter, T7 Promoter
Bacterial Resistance:	Ampicillin
Expression Type:	Transient
Characteristics:	<ul style="list-style-type: none"> <li>• These cDNA clones are isolated from full-length cDNA libraries and usually contain the coding sequence as well as the untranslated regions (UTRs) of the mRNA transcript appropriate to the library from which they were isolated.</li> <li>• These cDNA clones are ideal for over-expression of native proteins for functional studies. Provided as 10 µg transfection-ready plasmids.</li> <li>• Every lot of primer is tested to provide clean sequencing of cDNA clones.</li> </ul>
Purification:	The DNAs were purified using PowerPrep HP Plasmid isolation kits for transfection ready plasmids.

Order at [www.genomics-online.com](http://www.genomics-online.com)

USA & Canada: +1 877 302 8632 | [support@antibodies-online.com](mailto:support@antibodies-online.com)

## Product Details

---

Sequencing Primer: VP1.5 (forward) 5'GGACTTTCCAAAATGTTCG 3', XL39 (reverse) 5'ATTAGGACAAGGCTGGTGGG 3'

---

Components:

- The cDNA clone is shipped in a 2-D bar-coded Matrix tube as dried plasmid DNA.
- The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.

---

## Target Details

---

Gene: HPR

---

Alternative Name: HPR ([HPR Products](#))

---

Background: This gene encodes a haptoglobin-related protein that binds hemoglobin as efficiently as haptoglobin. Unlike haptoglobin, plasma concentration of this protein is unaffected in patients with sickle cell anemia and extensive intravascular hemolysis, suggesting a difference in binding between haptoglobin-hemoglobin and haptoglobin-related protein-hemoglobin complexes to CD163, the hemoglobin scavenger receptor. This protein may also be a clinically important predictor of recurrence of breast cancer. [provided by RefSeq, Oct 2011].

---

NCBI Accession: [NM\\_020995](#), [NP\\_066275](#)

---

## Application Details

---

Restrictions: For Research Use only

---

## Handling

---

Format: Lyophilized

---

Storage: RT, -20 °C

---

Storage Comment: The lyophilized plasmid is stable for up to one year when stored at ambient temperature. Following dissolution in 100 µL dH<sub>2</sub>O, store at -20 °C. Lyophilized primers are stable for up to one year when stored at ambient temperature. Following dissolution in 10 µL dH<sub>2</sub>O, store at -20 °C.

---

Expiry Date: 12 months

---

## Publications

---

Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)

Order at [www.genomics-online.com](http://www.genomics-online.com)

USA & Canada: +1 877 302 8632 | [support@antibodies-online.com](mailto:support@antibodies-online.com)

