

Datasheet for ABIN3391125

Human VND cDNA Clone in Mammalian Expression Vector

Overview

Quantity:	10 µg
Gene:	NKX2 (VND)
Species:	Human
Insert:	cDNA
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PEXP)

Product Details

Purpose:	Untagged full-length cDNA clone from Human NKX2 is ideal for over-expression of native protein for functional studies.
Brand:	TrueClones®
Vector Backbone:	pCMV6-XL5
Promoter:	Enhanced CMV Promoter, T7 Promoter
Bacterial Resistance:	Ampicillin
Expression Type:	Transient
Characteristics:	<ul style="list-style-type: none"> • These cDNA clones are isolated from full-length cDNA libraries and usually contain the coding sequence as well as the untranslated regions (UTRs) of the mRNA transcript appropriate to the library from which they were isolated. • These cDNA clones are ideal for over-expression of native proteins for functional studies. Provided as 10 µg transfection-ready plasmids. • Every lot of primer is tested to provide clean sequencing of cDNA clones.
Purification:	The DNAs were purified using PowerPrep HP Plasmid isolation kits for transfection ready plasmids.
Sequencing Primer:	VP1.5 (forward) 5'GGACTTTCCTCAAATGTTCG 3', XL39 (reverse) 5'ATTAGGACAAGGCTGGTGGG

Order at www.genomics-online.com

USA & Canada: +1 877 302 8632 | support@antibodies-online.com

Product Details

3'

- Components:
- The cDNA clone is shipped in a 2-D bar-coded Matrix tube as dried plasmid DNA.
 - The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.

Target Details

Gene: NKX2 (VND)

Alternative Name: NKX2

Background: This gene encodes a homeobox-containing transcription factor. This transcription factor functions in heart formation and development. Mutations in this gene cause atrial septal defect with atrioventricular conduction defect, and also tetralogy of Fallot, which are both heart malformation diseases. Mutations in this gene can also cause congenital hypothyroidism non-goitrous type 5, a non-autoimmune condition. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Oct 2009]. Transcript Variant: This variant (3) differs in the 3' coding region and 3' UTR, compared to variant 1. The encoded isoform (3) has a distinct C-terminus and is shorter than isoform 1.

NCBI Accession: [NM_001166176](#), [NP_001159648](#)

Application Details

Restrictions: For Research Use only

Handling

Format: Lyophilized

Storage: RT, -20 °C

Storage Comment: The lyophilized plasmid is stable for up to one year when stored at ambient temperature. Following dissolution in 100 µL dH₂O, store at -20 °C. Lyophilized primers are stable for up to one year when stored at ambient temperature. Following dissolution in 10 µL dH₂O, store at -20 °C.

Expiry Date: 12 months

Publications

Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (

Order at www.genomics-online.com

USA & Canada: +1 877 302 8632 | support@antibodies-online.com

1991)