# -online.com genomics

## Datasheet for ABIN3653843 Human KIR2DL2 shRNA in Retroviral Vector

#### Overview

Quantity:	1 kit
Gene:	KIR2DL2
Species:	Human
Insert:	shRNA
Vector:	Retroviral Vector
Application:	RNA Interference (RNAi)

#### Product Details

Purpose:	Pre-designed Hush-29 shRNAs in viral vectors with proven effectiveness for knock-down of
	Human KIR2DL2.
Brand:	HuSH-29™
Vector Backbone:	pRS
Promoter:	U6 Promoter
Selectable Marker:	Puromycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Specificity:	<ul> <li>The HuSH shRNA gene-specific expression cassettes were optimized to include both the termination signal for RNA Pol III and GC content targeted at 50 % to further improve the quality of the gene-specific shRNA expression vectors.</li> </ul>
	• One of the four constructs at minimum are guaranteed to produce 70 % or more gene expression knock-down provided a minimum transfection efficiency of 80 % is achieved.
Characteristics:	<ul> <li>The shRNA gene-specific expression cassettes are prepared using synthetic oligonucleotides.</li> </ul>
	These oligonucleotide sequences were computer designed for optimal suppression of gene

Product Details	
	<ul><li>expression and minimal off-target effects.</li><li>All shRNA sequences are verified through DNA sequencing analysis.</li></ul>
Components:	<ul> <li>Gene-specific shRNA expression pRS vectors, 5 ug plasmid DNA per vial.</li> <li>Four unique constructs per gene.</li> <li>HuSH 29-mer NonEffective Scrambled pRS 5 ug plasmid DNA.</li> </ul>

### Target Details

Gene:	KIR2DL2
Alternative Name:	KIR2DL2 (KIR2DL2 Products)
Application Details	
Application Notes:	<ul> <li>Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection.</li> <li>To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples</li> </ul>
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Storage:	4 °C/-20 °C
Storage Comment:	The dried plasmids can be stored at 4°C. However, once reconstituted with dH2O, the plasmids must be stored at -20°C.
Publications	
Product cited in:	Yamamoto, Nihrane, Aglipay, Sironi, Arkin, Lipton, Ouchi, Liu: "Upregulated ATM gene expression and activated DNA crosslink-induced damage response checkpoint in Fanconi anemia: implications for carcinogenesis." in: <b>Molecular medicine (Cambridge, Mass.)</b> , Vol. 14, Issue 3-4 , pp. 167-74, (2008) (PubMed).