-online.com





Human AD7C-NTP shRNA in Retroviral Vector

Overview			
Quantity:	1 kit		
Gene:	AD7C-NTP		
Species:	Human		
Insert:	shRNA		
Vector:	Retroviral Vector		
Application:	RNA Interference (RNAi)		
Product Details			
Purpose:	Pre-designed Hush-29 shRNAs in viral vectors with proven effectiveness for knock-down of		
	Human AD7C-NTP.		
Brand:	HuSH-29™		
Vector Backbone:	pRS		
Promoter:	U6 Promoter		
Selectable Marker:	Puromycin		
Bacterial Resistance:	Ampicillin		
Expression Type:	Transient, Stable		
Specificity:	 The HuSH shRNA gene-specific expression cassettes were optimized to include both the termination signal for RNA Pol III and GC content targeted at 50 % to further improve the quality of the gene-specific shRNA expression vectors. One of the four constructs at minimum are guaranteed to produce 70 % or more gene expression knock-down provided a minimum transfection efficiency of 80 % is achieved. 		
Characteristics:	 The shRNA gene-specific expression cassettes are prepared using synthetic oligonucleotides. These oligonucleotide sequences were computer designed for optimal suppression of gene 		

expression and	minimal	off-target effects.

• All shRNA sequences are verified through DNA sequencing analysis.

Components:

- Gene-specific shRNA expression pRS vectors, 5 ug plasmid DNA per vial.
- · Four unique constructs per gene.
- HuSH 29-mer NonEffective Scrambled pRS 5 ug plasmid DNA.

.

1991)

Target Details

Gene:	AD7C-NTP
Abstract:	AD7C-NTP Products
Application Details	
Application Notes:	Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To appropriate the strength of the shadow of the sha
	 To properly assess knockdown, the gene expression level from the included scramble contro vector must be used in comparison with the target-specific shRNA transfected samples
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Storage:	4 °C/-20 °C
Storage Comment:	The dried plasmids can be stored at 4°C. However, once reconstituted with dH2O, the plasmids
	must be stored at -20°C.
Publications	
Product cited in:	Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (