-online.com genomics

Datasheet for ABIN3675925 Mouse PHXR5 shRNA in Retroviral Vector (RFP tag)

Overview

| Quantity: | 1 kit |
|--------------|-------------------------|
| Gene: | PHXR5 |
| Species: | Mouse |
| Fusion tag: | RFP tag |
| Insert: | shRNA |
| Vector: | Retroviral Vector |
| Application: | RNA Interference (RNAi) |

Product Details

| Durposo: | Pre-designed Hush-29 shRNAs in viral vectors with proven effectiveness for knock-down of |
|-----------------------|-------------------------------------------------------------------------------------------|
| Purpose: | |
| | Mouse (Murine) Phxr5. |
| Brand: | HuSH-29™ |
| Vector Backbone: | pRFP-C-RS |
| Promoter: | U6 Promoter |
| Selectable Marker: | Puromycin |
| Bacterial Resistance: | Chloramphenicol |
| Expression Type: | Transient, Stable |
| Specificity: | • The HuSH shRNA gene-specific expression cassettes were optimized to include both the |
| | termination signal for RNA Pol III and GC content targeted at 50 % to further improve the |
| | quality of the gene-specific shRNA expression vectors. |
| | • One of the four constructs at minimum are guaranteed to produce 70 % or more gene |
| | expression knock-down provided a minimum transfection efficiency of 80 % is achieved. |
| Characteristics: | The shRNA gene-specific expression cassettes are prepared using synthetic |

| | oligonucleotides. These oligonucleotide sequences were computer designed for optimal suppression of gene expression and minimal off-target effects. All shRNA sequences are verified through DNA sequencing analysis. |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Components: | Gene-specific shRNA expression pRFP-C-RS vectors, 5 ug plasmid DNA per vial. Four unique constructs per gene. HuSH 29-mer NonEffective Scrambled pGFP-VRS 5 ug plasmid DNA. |

Target Details

| constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included sor vector must be used in comparison with the target-specific shRNA transfected Restrictions: For Research Use only Handling Format: Lyophilized Storage: 4 °C/-20 °C Storage Comment: The dried plasmids can be stored at 4°C. However, once reconstituted with dH20, must be stored at -20°C. Publications Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, p | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-----------------------------------------------------------------------------------------------------------------------|
| Application Details Application Notes: • Western Blot data is recommended over qPCR to evaluate the silencing effect of constructs 72 hrs post transfection. • To properly assess knockdown, the gene expression level from the included scr vector must be used in comparison with the target-specific shRNA transfected Restrictions: For Research Use only Handling - Format: Lyophilized Storage: 4 °C/-20 °C Storage Comment: The dried plasmids can be stored at 4°C. However, once reconstituted with dH20, must be stored at -20°C. Publications Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, proceedings and proceed | Gene: | PHXR5 |
| Application Notes: Western Blot data is recommended over qPCR to evaluate the silencing effect of constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scr vector must be used in comparison with the target-specific shRNA transfected Restrictions: For Research Use only Handling Format: Lyophilized Storage: 4 °C/-20 °C Storage Comment: The dried plasmids can be stored at 4°C. However, once reconstituted with dH20, must be stored at -20°C. Publications Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, p | Alternative Name: | Phxr5 |
| constructs 72 hrs post transfection.To properly assess knockdown, the gene expression level from the included sor vector must be used in comparison with the target-specific shRNA transfectedRestrictions:For Research Use onlyHandlingImage: Comparison with the target specific shRNA transfectedFormat:LyophilizedStorage:4 °C/-20 °CStorage Comment:The dried plasmids can be stored at 4°C. However, once reconstituted with dH20, must be stored at -20°C.PublicationsJohnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, p | Application Details | |
| Handling Format: Lyophilized Storage: 4 °C/-20 °C Storage Comment: The dried plasmids can be stored at 4°C. However, once reconstituted with dH20, must be stored at -20°C. Publications Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, p | Application Notes: | Western Diet data is recommended over qu'en te evaluate the orienting encet of the orienting |
| Format:LyophilizedStorage:4 °C/-20 °CStorage Comment:The dried plasmids can be stored at 4°C. However, once reconstituted with dH2O, must be stored at -20°C.PublicationsJohnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, p | Restrictions: | For Research Use only |
| Storage: 4 °C/-20 °C Storage Comment: The dried plasmids can be stored at 4°C. However, once reconstituted with dH20, must be stored at -20°C. Publications Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, p | Handling | |
| Storage Comment: The dried plasmids can be stored at 4°C. However, once reconstituted with dH2O, must be stored at -20°C. Publications Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, p | Format: | Lyophilized |
| must be stored at -20°C. Publications Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, p | Storage: | 4 °C/-20 °C |
| Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, p | Storage Comment: | The dried plasmids can be stored at 4°C. However, once reconstituted with dH2O, the plasmids must be stored at -20°C. |
| | Publications | |
| 1991) | Product cited in: | Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991) |