-online.com genomics

Datasheet for ABIN3698081 Mouse ITM2C shRNA in Retroviral Vector (GFP tag)

Overview

Quantity:	1 kit
Gene:	ITM2C
Species:	Mouse
Fusion tag:	GFP tag
Insert:	shRNA
Vector:	Retroviral Vector
Application:	RNA Interference (RNAi)

Product Details

Purpose:	Pre-designed Hush-29 shRNAs in viral vectors with proven effectiveness for knock-down of
	Mouse (Murine) Itm2c.
Brand:	HuSH-29™
DI dI IU.	пизп-29
Vector Backbone:	pGFP-V-RS
Promoter:	U6 Promoter
Selectable Marker:	Puromycin
Bacterial Resistance:	Kanamycin
Expression Type:	Transient, Stable
Specificity:	The HuSH shRNA gene-specific expression cassettes were optimized to include both the
	termination signal for RNA Pol III and GC content targeted at 50 % to further improve the
	quality of the gene-specific shRNA expression vectors.
	One of the four constructs at minimum are guaranteed to produce 70 % or more gene
	expression knock-down provided a minimum transfection efficiency of 80 % is achieved.
Characteristics:	The shRNA gene-specific expression cassettes are prepared using synthetic

Product Details	
	 oligonucleotides. These oligonucleotide sequences were computer designed for optimal suppression of gene expression and minimal off-target effects. All shRNA sequences are verified through DNA sequencing analysis.
Components:	 Gene-specific shRNA in pGFPC-shLenti vector, 4 unique constructs per gene, 5 ug per vial. HuSH 29-mer Scrambled in pGFP-C-shLenti 5 ug plasmid DNA.

Target Details

Gene:	ITM2C
Alternative Name:	Itm2c (ITM2C Products)
Application Details	
Application Notes:	 Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection.
	• To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Storage:	4 °C/-20 °C
Storage Comment:	The dried plasmids can be stored at 4°C. However, once reconstituted with dH2O, the plasmids
	must be stored at -20°C.
Publications	

Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)