-online.com QENOMICS





Human DDX39 shRNA in Retroviral Vector (GFP tag)

| Overview | |
|-----------------------|--|
| Quantity: | 1 kit |
| Gene: | BAT1 (DDX39) |
| Species: | Human |
| Fusion tag: | GFP tag |
| Insert: | shRNA |
| Vector: | Retroviral Vector |
| Application: | RNA Interference (RNAi) |
| Product Details | |
| Purpose: | Pre-designed Hush-29 shRNAs in viral vectors with proven effectiveness for knock-down of Human BAT1. |
| Brand: | HuSH-29™ |
| Vector Backbone: | pGFP-V-RS |
| Promoter: | U6 Promoter |
| Selectable Marker: | Puromycin |
| Bacterial Resistance: | Kanamycin |
| Expression Type: | Transient, Stable |
| Specificity: | The HuSH shRNA gene-specific expression cassettes were optimized to include both the termination signal for RNA Pol III and GC content targeted at 50 % to further improve the quality of the gene-specific shRNA expression vectors. One of the four constructs at minimum are guaranteed to produce 70 % or more gene expression knock-down provided a minimum transfection efficiency of 80 % is achieved. |
| Characteristics: | The shRNA gene-specific expression cassettes are prepared using synthetic |

Product Details oligonucleotides. · These oligonucleotide sequences were computer designed for optimal suppression of gene expression and minimal off-target effects. · All shRNA sequences are verified through DNA sequencing analysis. • Gene-specific shRNA in pGFPC-shLenti vector, 4 unique constructs per gene, 5 ug per vial. Components: · HuSH 29-mer Scrambled in pGFP-C-shLenti 5 ug plasmid DNA. **Target Details** Gene: BAT1 (DDX39) Alternative Name: BAT1 (DDX39 Products) **Application Details** · Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA Application Notes: constructs 72 hrs post transfection. · To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.. For Research Use only Restrictions: Handling Format: Lyophilized 4 °C/-20 °C Storage: Storage Comment: The dried plasmids can be stored at 4°C. However, once reconstituted with dH2O, the plasmids must be stored at -20°C.

Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (

Publications

Product cited in:

1991)