# -online.com genomics

## Datasheet for ABIN3735728 Human OR4C46 shRNA in Retroviral Vector (GFP tag)

#### Overview

Quantity:	1 kit
Gene:	OR4C46
Species:	Human
Fusion tag:	GFP tag
Insert:	shRNA
Vector:	Retroviral Vector
Application:	RNA Interference (RNAi)

#### Product Details

Purpose:	Pre-designed Hush-29 shRNAs in viral vectors with proven effectiveness for knock-down of Human LOC119749.
Brand:	HuSH-29™
Vector Backbone:	pGFP-V-RS
Promoter:	U6 Promoter
Selectable Marker:	Puromycin
Bacterial Resistance:	Kanamycin
Expression Type:	Transient, Stable
Specificity:	<ul> <li>The HuSH shRNA gene-specific expression cassettes were optimized to include both the termination signal for RNA Pol III and GC content targeted at 50 % to further improve the quality of the gene-specific shRNA expression vectors.</li> <li>One of the four constructs at minimum are guaranteed to produce 70 % or more gene expression knock-down provided a minimum transfection efficiency of 80 % is achieved.</li> </ul>
Characteristics:	The shRNA gene-specific expression cassettes are prepared using synthetic

Product Details	
	<ul> <li>oligonucleotides.</li> <li>These oligonucleotide sequences were computer designed for optimal suppression of gene expression and minimal off-target effects.</li> <li>All shRNA sequences are verified through DNA sequencing analysis.</li> </ul>
Components:	<ul> <li>Gene-specific shRNA in pGFPC-shLenti vector, 4 unique constructs per gene, 5 ug per vial.</li> <li>HuSH 29-mer Scrambled in pGFP-C-shLenti 5 ug plasmid DNA.</li> </ul>
Target Details	
Gene:	OR4C46
Alternative Name:	LOC119749 (OR4C46 Products)

### Application Details

<ul> <li>Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection.</li> <li>To properly assess knockdown, the gene expression level from the included scramble contro vector must be used in comparison with the target-specific shRNA transfected samples</li> </ul>
For Research Use only
Lyophilized
4 °C/-20 °C
The dried plasmids can be stored at 4°C. However, once reconstituted with dH2O, the plasmids must be stored at -20°C.

Publications

Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, ( 1991)