

Datasheet for ABIN3737338

Human HDAC2 shRNA in Retroviral Vector (GFP tag)

3 Publications

Overview

Quantity:	1 kit
Gene:	HDAC2
Species:	Human
Fusion tag:	GFP tag
Insert:	shRNA
Vector:	Retroviral Vector
Application:	RNA Interference (RNAi)

Product Details

Purpose:	Pre-designed Hush-29 shRNAs in viral vectors with proven effectiveness for knock-down of Human HDAC2.
Brand:	HuSH-29™
Vector Backbone:	pGFP-V-RS
Promoter:	U6 Promoter
Selectable Marker:	Puromycin
Bacterial Resistance:	Kanamycin
Expression Type:	Transient, Stable
Specificity:	<ul style="list-style-type: none"> The HuSH shRNA gene-specific expression cassettes were optimized to include both the termination signal for RNA Pol III and GC content targeted at 50 % to further improve the quality of the gene-specific shRNA expression vectors. One of the four constructs at minimum are guaranteed to produce 70 % or more gene expression knock-down provided a minimum transfection efficiency of 80 % is achieved.

Order at www.genomics-online.com

USA & Canada: +1 877 302 8632 | support@antibodies-online.com

Product Details

- Characteristics:
- The shRNA gene-specific expression cassettes are prepared using synthetic oligonucleotides.
 - These oligonucleotide sequences were computer designed for optimal suppression of gene expression and minimal off-target effects.
 - All shRNA sequences are verified through DNA sequencing analysis.

- Components:
- Gene-specific shRNA in pGFPC-shLenti vector, 4 unique constructs per gene, 5 ug per vial.
 - HuSH 29-mer Scrambled in pGFP-C-shLenti 5 ug plasmid DNA.

Target Details

Gene: HDAC2

Alternative Name: HDAC2 ([HDAC2 Products](#))

Application Details

- Application Notes:
- Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection.
 - To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples..

Restrictions: For Research Use only

Handling

Format: Lyophilized

Storage: 4 °C/-20 °C

Storage Comment: The dried plasmids can be stored at 4°C. However, once reconstituted with dH₂O, the plasmids must be stored at -20°C.

Publications

Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)