

Datasheet for ABIN4918756

Human OR10A6 ORF Clone in Mammalian Expression Vector (DYKDDDDK Tag)

Overview

Quantity:	10 µg
Gene:	OR10A6
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)

Product Details

Purpose:	Expression/transfection ready cDNA ORF clone of Human OR10A6 with C terminal DYKDDDDK tag is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	945 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGGAAAGAC AAAATCAAAG CTGTGTGGTT GAATTCATCC TCTTGGGCTT TTCTAACTAT CCTGAGCTCC AGGGGCAGCT CTTTGTGGCT TTCCTGGTTA TTTATCTGGT GACCCTGATA GGAAATGCCA TTATTATAGT CATCGTCTCC CTAGACCAGA GCCTCCACGT TCCCATGTAC CTGTTTCTCC TGAACCTATC TGTGGTGGAC CTGAGTTTCA GTGCAGTTAT TATGCCTGAA ATGCTGGTGG TCCTCTCTAC TGAAAAAACT ACAATTTCTT TTGGGGGCTG TTTTGCACAG

Order at www.genomics-online.com

USA & Canada: +1 877 302 8632 | support@antibodies-online.com

Product Details

ATGTATTTCA TCCTTCTTTT TGGTGGGGCT GAATGTTTTTC TTCTGGGAGC AATGGCCTTAT
GACCGATTTG CTGCAATTTG CCATCCTCTC AACTACCAAA TGATTATGAA TAAAGGAGTT
TTTATGAAAT TAATTATATT TTCATGGGCC TTAGGTTTTA TGTTAGGTAC TGTTCAAACA
TCATGGGTAT CTAGTTTTCC CTTTTGTGGC CTTAATGAAA TTAACCATAT ATCTTGTGAA
ACCCAGCAG TGTTAGAACT TGCATGTGCA GACACGTTTT TGTTTGAAT CTATGCATTC
ACAGGCACCT TTTTGATTAT TTTGGTTCCT TTCTTGTTGA TACTCTTGTC TTACATTGCA
GTTCTGTTTG CCATCCTGAA GATGCCATCA ACCACTGGGA GACAAAAGGC CTTTTCCACC
TGTGCCGCTC ACCTCACATC TGTGACCCTA TTCTATGGCA CAGCCAGTAT GACTTATTTA
CAACCCAAAT CTGGCTACTC ACCGGAAACC AAGAAAGTGA TGTCATTGTC TTACTIONACTT
CTGACACCAC TGCTGAATCT GCTTATCTAC AGTTTGCGAA ATAGTGAGAT GAAGAGGGCT
TTGATGAAAT TATGGCGAAG GCGAGTGGTT TTACACACAA TCTGA

Specificity: ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning technology

Characteristics: Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database (RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is encoded by the open reading frame (ORF) sequence.

Sequencing Primer:

- Forward primer: 5'-TAATACGACTCACTATAGGG-3'
- Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'

Grade: End-sequenced

Components: The GenEZ ORF clone is delivered as 10 µg of lyophilized plasmid DNA in a vial.

Target Details

Gene: OR10A6

Alternative Name: OR10A6 ([OR10A6 Products](#))

Background: Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. This olfactory receptor gene is a segregating pseudogene, where some individuals have an allele that encodes a functional olfactory

Order at www.genomics-online.com

USA & Canada: +1 877 302 8632 | support@antibodies-online.com

Target Details

receptor, while other individuals have an allele encoding a protein that is predicted to be non-functional. [provided by RefSeq, Jun 2015].

Gene ID: 390093

NCBI Accession: [NM_001004461](#)

Application Details

Restrictions: For Research Use only

Handling

Format: Lyophilized

Storage: RT/-20 °C

Storage Comment:

- Keep the vial sealed and store at -20°C for long-term storage.
- Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.
- Open the lid and add 100 µl (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA.
- If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.
- Close the lid and vortex the vial for 1 minute.
- Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.

Expiry Date: 12 months

Publications

Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)