-online.com genomics





Human TARP ORF Clone in Mammalian Expression Vector (DYKDDDDK Tag)

Overview	
Quantity:	10 μg
Gene:	TARP
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Expression/transfection ready cDNA ORF clone of Human TARP with C terminal DYKDDDDK
	tag is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	336 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGAAGACTA ACGACACATA CATGAAATTT AGCTGGTTAA CGGTGCCAGA AAAGTCACTG
	GACAAAGAAC ACAGATGTAT CGTCAGACAT GAGAATAATA AAAACGGAGT TGATCAAGAA
	ATTATCTTTC CTCCAATAAA GACAGATGTC ATCACAATGG ATCCCAAAGA CAATTGTTCA
	AAAGATGCAA ATGATACACT ACTGCTGCAG CTCACAAACA CCTCTGCATA TTACATGTAC
	CTCCTCCTGC TCCTCAAGAG TGTGGTCTAT TTTGCCATCA TCACCTGCTG TCTGCTTAGA

Product Details

	AGAACGGCTT TCTGCTGCAA TGGAGAGAAA TCATAA
Specificity:	ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning technology
Characteristics:	Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database
	(RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is
	encoded by the open reading frame (ORF) sequence.
Sequencing Primer:	 Forward primer: 5'-TAATACGACTCACTATAGGG-3' Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'
Grade:	End-sequenced
Components:	The GenEZ ORF clone is delivered as 10 μg of lyophilized plasmid DNA in a vial.
Target Details	
Gene:	TARP
Alternative Name:	TARP (TARP Products)
Background:	In some non-lymphoid tissues, the unrearranged T cell receptor gamma (TRG@) locus is
	expressed. The resulting transcript contains a subset of the TRG@ gene segments and is
	shorter than TRG@ transcripts expressed in lymphoid tissues. This RefSeq record represents
	the unrearranged TRG@ locus transcript, the complete TRG@ locus is represented by the
	genomic RefSeq NG_001336. The transcript represented by this RefSeq has two open reading
	frames (ORFs) that encode different proteins. The downstream ORF is in the same frame as
	TRG@ and its protein product is similar to TRG@ proteins. The upstream ORF uses a different
	reading frame and encodes a novel protein. [provided by RefSeq, Jul 2008].
Gene ID:	445347
NCBI Accession:	NM_001003806
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Storage:	RT/-20 °C

Handling

Storage Comment:

- Keep the vial sealed and store at -20°C for long-term storage.
- Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.
- Open the lid and add 100 μ l (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA.
- If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.
- Close the lid and vortex the vial for 1 minute.
- Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.

Expiry Date:

12 months

Publications

Product cited in:

Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)