## -online.com genomics





## **Human PRAC2 ORF Clone in Mammalian Expression Vector (DYKDDDK Tag)**

Overview	
Quantity:	10 μg
Gene:	PRAC2
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Expression/transfection ready cDNA ORF clone of Human PRAC2 with C terminal DYKDDDDK
	tag is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	273 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGGACAGAA GGCGGATGGC TCTGCGGCCT GGCTCCCGCA GACCGACCGC CTTCTTCTTC CATTCGAGAT GGCTCGTACC GAACCTCCTT GCCTTCTTCC TGGGTCTCTC GGGGGCTGGA CCAATACATC TGCCGATGCC CTGGCCGAAT GGCAGGCGAC ATCGGGTCCT GGACCCCCAC ACGCAGCTCA GTACCCACGA GGCCCCAGGC CGCTGGAAGC CTGTAGCTCC GCGGACGATG AAAGCCTGCC CGCAGGTTCT CCTGGAGTGG TGA

## **Product Details** Specificity: ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning technology Characteristics: Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database (RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is encoded by the open reading frame (ORF) sequence. • Forward primer: 5'-TAATACGACTCACTATAGGG-3' Sequencing Primer: • Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3' Grade: End-sequenced Components: The GenEZ ORF clone is delivered as 10 µg of lyophilized plasmid DNA in a vial. **Target Details** PRAC2 Gene: Alternative Name: PRAC2 Background: This gene is highly expressed in prostate, rectum, colon, and testis. This gene may produce a non-coding RNA or may encode a short protein that might localize to the nucleus. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Aug 2013]. Gene ID: 360205 NCBI Accession: NM\_001282275 **Application Details** Restrictions: For Research Use only Handling Lyophilized Format: RT/-20 °C Storage: • Keep the vial sealed and store at -20°C for long-term storage. Storage Comment: • Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C. • Open the lid and add 100 µl (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA. • If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA. • Close the lid and vortex the vial for 1 minute. Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.

Handling	
Expiry Date:	12 months
Publications	
Product cited in:	Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (
	1991)