## -online.com genomics





## Human PMF1-BGLAP ORF Clone in Mammalian Expression Vector (DYKDDDDK Tag)

Overview	
Quantity:	10 μg
Gene:	PMF1-BGLAP
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Expression/transfection ready cDNA ORF clone of Human PMF1-BGLAP with C terminal DYKDDDDK tag is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	528 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGGCCGAAG CAAGTAGCGC CAATCTAGGC AGCGGCTGTG AGGAAAAAAG GCATGAGGGG TCGTCTTCGG AATCTGTGCC ACCCGGCACT ACCATTTCGA GGGTGAAGCT CCTCGACACC ATGGTGGACA CTTTTCTTCA GAAGCTGGTC GCCGCCGGCA GCTACCAGAG ATTCACTGAC TGCTATAAGT GCTTCTACCA GTTGCAGCCT GCGATGACAC AGCAAATCTA TGACAAGTTT

	ATAGCTCAGT TGCAGACATC TATCCGGGAG GAAATCTCTG ACATCAAAGA GGAGGGGAAC
	CTAGAAGCTG TCTTGAATGC CTTGGATAAA ATTGTGGAAG AAGGCAAAGT CCGCAAAGAG
	CCAGCCTGGT GCGAAGCCCA GCGGTGCAGA GTCCAGCAAA GGTGCAGCCT TTGTGTCCAA
	GCAGGAGGC AGCGAGGTAG TGAAGAGACC CAGGCGCTAC CTGTATCAAT GGCTGGGAGC
	CCCAGTCCCC TACCCGGATC CCCTGGAGCC CAGGAGGGAG GTGTGTGA
Specificity:	ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning
	technology
Characteristics:	Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database
	(RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is
	encoded by the open reading frame (ORF) sequence.
Sequencing Primer:	Forward primer: 5'-TAATACGACTCACTATAGGG-3'
	Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'
Grade:	End-sequenced
Components:	The GenEZ ORF clone is delivered as 10 µg of lyophilized plasmid DNA in a vial.
Target Details	
Gene:	PMF1-BGLAP
Alternative Name:	PMF1-BGLAP (PMF1-BGLAP Products)
Background:	This locus represents naturally occurring read-through transcription between the neighboring
	PMF1 (polyamine-modulated factor 1) and BGLAP (bone gamma-carboxyglutamate Gla
	protein) genes on chromosome 1. Alternative splicing results in multiple transcript variants
	encoding isoforms that share sequence identity with the upstream gene product, but they
	contain distinct C-termini due to frameshifts versus the downstream gene coding sequence.
	[provided by RefSeq, Dec 2010].
Gene ID:	100527963
NCBI Accession:	NM_001199663
Application Details	
Restrictions:	For Research Use only

## Handling

Format:	Lyophilized
Storage:	RT/-20 °C
Storage Comment:	<ul> <li>Keep the vial sealed and store at -20°C for long-term storage.</li> <li>Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.</li> <li>Open the lid and add 100 µl (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA.</li> <li>If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.</li> <li>Close the lid and vortex the vial for 1 minute.</li> <li>Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.</li> </ul>
Expiry Date:	12 months
Publications	
Product cited in:	Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)