-online.com Jenomics

Datasheet for ABIN4925345

Human PMF1-BGLAP ORF Clone in Mammalian Expression Vector (DYKDDDDK Tag)

Overview

Quantity:	10 µg
Gene:	PMF1-BGLAP
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Expression/transfection ready cDNA ORF clone of Human PMF1-BGLAP with C terminal
	DYKDDDDK tag is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	429 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGGCCGAAG CAAGTAGCGC CAATCTAGGC AGCGGCTGTG AGGAAAAAAG GCATGAGGGG
	TCGTCTTCGG AATCTGTGCC ACCCGGCACT ACCATTTCGA GGGTGAAGCT CCTCGACACC
	ATGGTGGACA CTTTTCTTCA GAAGCTGGTC GCCGCCGGCA GGCGCCCCAG CGGGATCCCA
	GAGAAGGATC TGCACAGTGT TATGGCACCC TACTTCCTGC AGCAACGGGA CACCCTGCGG

	CGCCATGTGC AGAAACAGGA GGCCGAGAAC CAGCAGCTGG CAGATGCCGT CCTGGCAGGG
	CGGAGGCAGG TGGAGGAGCT GCAGCTACAG GTCCAGGCCC AGCAGCAGGC CTGGCAGGTG
	CGAAGCCCAG CGGTGCAGAG TCCAGCAAAG GTGCAGCCTT TGTGTCCAAG CAGGAGGGCA
	GCGAGGTAG
Specificity:	ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning
	technology
Characteristics:	Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database
	(RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is
	encoded by the open reading frame (ORF) sequence.
Sequencing Primer:	Forward primer: 5'-TAATACGACTCACTATAGGG-3'
	Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'
Grade:	End-sequenced
Components:	The GenEZ ORF clone is delivered as 10 μg of lyophilized plasmid DNA in a vial.

Target Details

Gene:	PMF1-BGLAP
Alternative Name:	PMF1-BGLAP (PMF1-BGLAP Products)
Background:	This locus represents naturally occurring read-through transcription between the neighboring PMF1 (polyamine-modulated factor 1) and BGLAP (bone gamma-carboxyglutamate Gla protein) genes on chromosome 1. Alternative splicing results in multiple transcript variants encoding isoforms that share sequence identity with the upstream gene product, but they contain distinct C-termini due to frameshifts versus the downstream gene coding sequence. [provided by RefSeq, Dec 2010].
Gene ID:	100527963
NCBI Accession:	NM_001199664
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized

Handling

Storage:	RT/-20 °C
Storage Comment:	• Keep the vial sealed and store at -20°C for long-term storage.
	• Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.
	• Open the lid and add 100 μl (or other volume depending on your desired final concentration)
	of distilled water (or TE buffer) to dissolve the DNA.
	 If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.
	Close the lid and vortex the vial for 1 minute.
	• Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.
Expiry Date:	12 months
Publications	
Product cited in:	Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (
	1991)