-online.com genomics

Datasheet for ABIN4925627

Human PET117 ORF Clone in Mammalian Expression Vector (DYKDDDDK Tag)

Overview	
Quantity:	10 µg
Gene:	PET117
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Expression/transfection ready cDNA ORF clone of Human PET117 with C terminal DYKDDDDK
	tag is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	246 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGTCTAGGA GCTCGAAGGT GGTGCTGGGC CTCTCGGTGC TGCTGACGGC GGCCACAGTG
	GCCGGCGTAC ATGTGAAGCA GCAGTGGGAC CAGCAGAGGC TTCGTGACGG AGTTATCAGA
	GACATTGAGA GGCAAATTCG GAAAAAAGAA AACATTCGTC TTTTGGGAGA ACAGATTATT
	TTGACTGAGC AACTTGAAGC AGAAAGAGAG AAGATGTTAT TGGCAAAAGG ATCTCAAAAA
	TCATGA

Specificity:	ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning
	technology
Characteristics:	Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database
	(RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is
	encoded by the open reading frame (ORF) sequence.
Sequencing Primer:	Forward primer: 5'-TAATACGACTCACTATAGGG-3'
	Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'
Grade:	End-sequenced
Components:	The GenEZ ORF clone is delivered as 10 μg of lyophilized plasmid DNA in a vial.
Target Details	
Gene:	PET117
Alternative Name:	PET117 (PET117 Products)
Gene ID:	100303755
NCBI Accession:	NM_001164811
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Storage:	RT/-20 °C
Storage Comment:	• Keep the vial sealed and store at -20°C for long-term storage.
	Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.
	 Open the lid and add 100 µl (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to discolve the DNA
	 of distilled water (or TE buffer) to dissolve the DNA. If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.
	 In necessary, heat the solution at 50 C for 15 minutes to dissolve the DNA. Close the lid and vortex the vial for 1 minute.
	 Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.
Expiry Date:	12 months

Publications	
Product cited in:	Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (
	1991)