

Datasheet for ABIN4925982

Human OR6Y1 ORF Clone in Mammalian Expression Vector (DYKDDDDK Tag)

Overview

Quantity:	10 µg
Gene:	OR6Y1
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PEXP)

Product Details

Purpose:	Expression/transfection ready cDNA ORF clone of Human OR6Y1 with C terminal DYKDDDDK tag is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	978 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGACCACCA TAATTCTGGA AGTAGATAAT CACACAGTGA CAACACGTTT CATTCTTCTG GGGTTTCCAA CACGACCAGC CTTCCAGCTT CTCTTTTTCT CCATTTTCCT GGCAACCTAT CTGCTGACAC TGCTGGAGAA TCTTCTTATC ATCTTAGCTA TCCACAGTGA TGGGCAGCTG CATAAGCCCA TGTA CTCTTCTT CTTGAGCCAC CTCTCCTTCC TGGAGATGTG GTATGTCACA GTCATCAGCC CCAAGATGCT TGTTGACTTC CTCAGTCATG ACAAGAGTAT TTCCTTCAAT

Order at www.genomics-online.com

USA & Canada: +1 877 302 8632 | support@antibodies-online.com

Product Details

GGCTGCATGA CTCAACTTTA CTTTTTTGTG ACCTTTGTCT GCACTGAGTA CATCCTTCTT
GCTATCATGG CCTTTGACCG CTATGTAGCC ATTTGTAATC CACTACGCTA CCCAGTCATC
ATGACCAACC AGCTCTGTGG CACTGCTGGCT GGAGGATGCT GGTTCTGTGG ACTCATGACT
GCCATGATTA AGATGGTTTT TATAGCACAA CTTCACTACT GTGGCATGCC TCAGATCAAT
CACTACTTTT GTGATATCTC TCCACTCCTT AACGTCTCCT GTGAGGATGC CTCACAGGCT
GAGATGGTGG ACTTCTTCTT GGCCCTCATG GTCATTGCTA TTCCTCTTTG TGTTGTGGTG
GCATCCTACG CTGCTATCCT TGCCACCATC CTCAGGATCC CTTCTGCTCA GGGCCGCCAA
AAGGCATTCT CCACCTGTGC CTCCCACCTG ACCGTCGTAA TTCTCTTCTA TTCCATGACA
CTTTTCACCT ATGCCCGTCC CAAACTCATG TATGCCTACA ATTCCAACAA AGTGGTATCT
GTTCTCTACA CTGTCATTGT TCCACTCCTC AACCCCATCA TTTACTGTCT GAGGAACCAT
GAAGTAAAGG CAGCCCTCAG AAAGACCATA CATTGCAGAG GAAGTGGGCC CCAGGGAAAT
GGGGCTTTCA GTAGTTAA

Specificity: ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning technology

Characteristics: Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database (RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is encoded by the open reading frame (ORF) sequence.

Sequencing Primer:

- Forward primer: 5'-TAATACGACTCACTATAGGG-3'
- Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'

Grade: End-sequenced

Components: The GenEZ ORF clone is delivered as 10 µg of lyophilized plasmid DNA in a vial.

Target Details

Gene: OR6Y1

Alternative Name: OR6Y1 ([OR6Y1 Products](#))

Background: Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008].

Order at www.genomics-online.com

USA & Canada: +1 877 302 8632 | support@antibodies-online.com

Target Details

Gene ID: 391112

NCBI Accession: [NM_001005189](#)

Application Details

Restrictions: For Research Use only

Handling

Format: Lyophilized

Storage: RT/-20 °C

Storage Comment:

- Keep the vial sealed and store at -20°C for long-term storage.
- Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.
- Open the lid and add 100 µl (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA.
- If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.
- Close the lid and vortex the vial for 1 minute.
- Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.

Expiry Date: 12 months

Publications

Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)