

Datasheet for ABIN4926060

Human OR51V1 ORF Clone in Mammalian Expression Vector (DYKDDDDK Tag)

Overview

Quantity:	10 µg
Gene:	OR51V1
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PEXP)

Product Details

Purpose:	Expression/transfection ready cDNA ORF clone of Human OR51V1 with C terminal DYKDDDDK tag is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	966 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGTTTCTCA GTTCCAGAAT GATTACTTCA GTAAGCCCTA GCACCAGCAC GAATTCTTCC TTTCTTCTCA CTGGATTTTC TGGCATGGAG CAGCAATACC CCTGGCTTTC CATCCCCTTC TCCTCAATCT ATGCCATGGT GCTTTTGGGC AATTGCATGG TTCTCCATGT GATATGGACT GAGCCAAGCC TGCACCAGCC TATGTTTTAC TTCCTGTCCA TGCTGGCCCT CACTGACCTG TGCATGGGGC TGTCCACTGT GTACACAGTG CTGGGGATCC TGTGGGGGAT CATTTCGAGAG

Order at www.genomics-online.com

USA & Canada: +1 877 302 8632 | support@antibodies-online.com

Product Details

ATCAGCTTGG ATTCTGCAT TGCCCAGTCC TATTCATCC ATGGTCTGTC CTTTCATGGAG
TCCTCTGTCC TCCTCACTAT GGCCTTTGAC CGGTACATTG CAATTTGCAA TCCACTACGT
TATTCCTCCA TCCTGACTAA TTCCAGAATT ATCAAAATTG GGCTCACTAT AATAGGTAGG
AGTTTTTTCT TTATTACACC CCCCATCATC TGTCTGAAAT TTTTAAATTA CTGTCATTTT
CACATCCTTT CTCACTCTTT CTGCCTGCAC CAGGATCTTC TCCGCTTAGC CTGTTTCAGAC
ATCCGATTCA ATAGTTACTA TGCCCTGATG CTGGTTATTT GCATACTGTT GTTGGATGCT
ATACTCATCC TTTTCTCCTA CATCCTGATT CTTAAGTCAG TCCTGGCAGT TGCCCTCAG
GAAGAGAGGC ATAAATTATT TCAGACCTGC ATCTCCCACA TCTGTGCTGT CCTTGTGTTC
TACATCCCTA TCATTAGCCT CACAATGGTG CACCGTTTTG GCAAGCACCT TTCCCCCGTG
GCCCAGTTTC TCATTGGCAA CATCTACATC CTTTTCCCAC CTTTAATGAA TCCCATCATC
TACAGTGTCA AGACCCAACA GATTCATACC AGAATGCTTA GACTCTTTTC TCTGAAAAGA
TATTGA

Specificity: ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning technology

Characteristics: Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database (RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is encoded by the open reading frame (ORF) sequence.

Sequencing Primer:

- Forward primer: 5'-TAATACGACTCACTATAGGG-3'
- Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'

Grade: End-sequenced

Components: The GenEZ ORF clone is delivered as 10 µg of lyophilized plasmid DNA in a vial.

Target Details

Gene: OR51V1

Alternative Name: OR51V1 ([OR51V1 Products](#))

Background: Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008].

Order at www.genomics-online.com

USA & Canada: +1 877 302 8632 | support@antibodies-online.com

Target Details

Gene ID: 283111

NCBI Accession: [NM_001004760](#)

Application Details

Restrictions: For Research Use only

Handling

Format: Lyophilized

Storage: RT/-20 °C

Storage Comment:

- Keep the vial sealed and store at -20°C for long-term storage.
- Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.
- Open the lid and add 100 µl (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA.
- If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.
- Close the lid and vortex the vial for 1 minute.
- Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.

Expiry Date: 12 months

Publications

Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)