

Datasheet for ABIN4926118

Human OR2T6 ORF Clone in Mammalian Expression Vector (DYKDDDDK Tag)

Overview

| | |
|--------------|-----------------------------|
| Quantity: | 10 µg |
| Gene: | OR2T6 |
| Species: | Human |
| Fusion tag: | DYKDDDDK Tag |
| Insert: | ORF |
| Vector: | Mammalian Expression Vector |
| Application: | Protein Expression (PEXP) |

Product Details

| | |
|-----------------------|--|
| Purpose: | Expression/transfection ready cDNA ORF clone of Human OR2T6 with C terminal DYKDDDDK tag is ideal for express proteins in E.coli & mammalian cells. |
| Brand: | GenEZ™ |
| Insert Length: | 927 bp |
| Vector Backbone: | pcDNA3.1+C-(K)-DYK |
| Promoter: | CMV Promoter |
| Selectable Marker: | Neomycin |
| Bacterial Resistance: | Ampicillin |
| Expression Type: | Transient, Stable |
| Sequence: | ATGAATGAAA ACAATGAAAC CTTGACCAGA GGCTTTACCC TCATGGGGCT CTTCACTCAC AATAAATGCT CAGGATTCTT TTTCCGGTGTC ATTTGTGCCG TCTTCTTCAT GGCCATGATA GCTAATGGGG TCATGATCTT CCTGATTAAC ATAGACCCTC ATCTCCACAC CCCCATGTAC TTCCTCCTCA GCCACCTCTC CGTCATTGAC ACATTATACA TCTCCACCAT TGTGCCCAAG ATGCTGGTAG ATTATCTCAT GGGCGAGGGG ACCATCTCTT TCATCGCCTG CACTGCTCAG |

Order at www.genomics-online.com

USA & Canada: +1 877 302 8632 | support@antibodies-online.com

Product Details

TGCTTTCTCT ACATGGGCTT TATGGGGGCT GAATTCTTCC TGCTGGGGCT CATGGCCTAT
GACCGCTACG TGGCCATCTG CAACCCACTG CGCTATCCTG TCCTCATCAG CTGGCGGGTC
TGCTGGATGA TCCTGGCCAG CTCTTGGTTC GGTGGGGCTT TGGACAGTTT TCTCCTCACC
CCCATTACCA TGAGTCTCCC GTTCTGTGCC TCTACCAAAA TCAATCACTT TTTCTGTGAG
GCACCCACCA TGCTGAGGCT GGCCTGTGGG GACAAAACCA CCTATGAAAC AGTGATGTAT
GTGTGCTGCG TTGCAATGCT GCTGATCCCC TTCTCGGTGG TGACTIONCATC CTACACCAGG
ATTCTCATCA CAGTGCATCA GATGACATCG GCTGAAGGGA GGAAGAAGGC CTTTGCCACC
TGCTCTTAC ACATGATGGT GGTGACATTG TTCTATGGGG CTGCCTTGTA TACGTATACG
CTTCCCCAAT CTTACCACAC CCCAATCAAA GATAAGGTCT TCTCTGCCTT TTATAACATC
CTCACACCCT TATTAACCC TCTCATCTAC AGTCTGAGGA ACAGGGATGT GATGGGTGCC
TTGAAGAGAG TTGTGGCAAG ATGTTAG

| | |
|--------------------|--|
| Specificity: | ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning technology |
| Characteristics: | Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database (RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is encoded by the open reading frame (ORF) sequence. |
| Sequencing Primer: | <ul style="list-style-type: none">• Forward primer: 5'-TAATACGACTCACTATAGGG-3'• Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3' |
| Grade: | End-sequenced |
| Components: | The GenEZ ORF clone is delivered as 10 µg of lyophilized plasmid DNA in a vial. |

Target Details

| | |
|-------------------|---|
| Gene: | OR2T6 |
| Alternative Name: | OR2T6 (OR2T6 Products) |
| Background: | Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008]. |

Order at www.genomics-online.com

USA & Canada: +1 877 302 8632 | support@antibodies-online.com

Target Details

Gene ID: 254879

NCBI Accession: [NM_001005471](#)

Application Details

Restrictions: For Research Use only

Handling

Format: Lyophilized

Storage: RT/-20 °C

Storage Comment:

- Keep the vial sealed and store at -20°C for long-term storage.
- Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.
- Open the lid and add 100 µl (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA.
- If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.
- Close the lid and vortex the vial for 1 minute.
- Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.

Expiry Date: 12 months

Publications

Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)