

Datasheet for ABIN4926210

## Human OR10X1 ORF Clone in Mammalian Expression Vector (DYKDDDDK Tag)

### Overview

Quantity:	10 µg
Gene:	OR10X1
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PEXP)

### Product Details

Purpose:	Expression/transfection ready cDNA ORF clone of Human OR10X1 with C terminal DYKDDDDK tag is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	981 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGGTGTTGA ATGTTTATTG TTGTTTCTTT CAAATTTTCAG ACATTCAAAC GATGAAGATC AACCAGACAA TCCTGAAGGA ATTCATTCTT GTTGGCTTTT CTGTGTACCC ACATGTACAG ACATTTCTTT TTGTGGTCTT CTTTTGTCTC TACCTTCTCA CCCTTGCAGG TAATCTGATC ATCATGGGTC TAACTTGGGT GGACAGGTCC CTCCACACCC CTATGTATCT CTCCTTAGT GCACTCTCCT TCTCTGAGAC CTGCTATACG CTGACCATCG TCCCAAGAT GCTGGAAGAT

Order at [www.genomics-online.com](http://www.genomics-online.com)

USA & Canada: +1 877 302 8632 | [support@antibodies-online.com](mailto:support@antibodies-online.com)

## Product Details

---

CTACTGGCCA AGGACAGAAG CATTTCAGTC ACAGGTTGTA GCTTACAGAT GTGCTTCTTC  
TTGGGACTTG GTGGCACAAA CTGTATCATT CTCACCTTGA TGGGATATGA CCGCTTCCTG  
GCCATCTGTA ACCCTCTAAG ATATCCACTG CTTATGACCA ACATTGTATG TGGACAACTT  
GTGGCCTCTG CTTGCACTGC AGGCTTCTTT ATCTCTCTTA CAGAGACTGC ACTGATATTC  
AGGGACTCTT TCTGCAGACC CAACCTTGTC AAACACTTCT TCTGCCATAT GCTGGCAGTT  
ATTAGGCTGT CTTGTATAGA CAGTAACCAC ACAGAATTCA TTATAACACT GATCTCAGTG  
TCTGGTTTGC TGGGTACCCT TCTGCTCATC ATCCTGACTG ATGTCTTCAT TATTTCTACT  
GTCCTCAGGA TCCCTTCAGC TGAGGGCAAG CAGAAGGCTC TCACCACCTG TGCCTCCCAC  
CTCACCGTGG TTATAATCCA CTTTGGTTTT GCATCTATTG TTTATTTGAA GCCAGAAGCC  
TCAGGAGATG ACACACTCAT AGCAGTCCCT TATACTGTCA TTACCCCTT CCTCAGCCCC  
ATCATATTCA GCCTGAGGAA TAAGGACATG AAAAATGCTT TTAGAAGAAT GATGGGAAAC  
ACAGTTGCCT TGAAAAAATA A

Specificity: ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning technology

Characteristics: Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database (RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is encoded by the open reading frame (ORF) sequence.

Sequencing Primer: 

- Forward primer: 5'-TAATACGACTCACTATAGGG-3'
- Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'

Grade: End-sequenced

Components: The GenEZ ORF clone is delivered as 10 µg of lyophilized plasmid DNA in a vial.

## Target Details

---

Gene: OR10X1

Alternative Name: OR10X1 ([OR10X1 Products](#))

Background: Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. This olfactory receptor gene is a segregating

Order at [www.genomics-online.com](http://www.genomics-online.com)

USA & Canada: +1 877 302 8632 | [support@antibodies-online.com](mailto:support@antibodies-online.com)

## Target Details

---

pseudogene, where some individuals have an allele that encodes a functional olfactory receptor, while other individuals have an allele encoding a protein that is predicted to be non-functional. [provided by RefSeq, Jun 2015].

Gene ID: 128367

NCBI Accession: [NM\\_001004477](#)

## Application Details

---

Restrictions: For Research Use only

## Handling

---

Format: Lyophilized

Storage: RT/-20 °C

Storage Comment:

- Keep the vial sealed and store at -20°C for long-term storage.
- Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.
- Open the lid and add 100 µl (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA.
- If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.
- Close the lid and vortex the vial for 1 minute.
- Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.

Expiry Date: 12 months

## Publications

---

Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)