

Datasheet for ABIN4926228

Human OR10G3 ORF Clone in Mammalian Expression Vector (DYKDDDDK Tag)

Overview

Quantity:	10 µg
Gene:	OR10G3
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PEXP)

Product Details

Purpose:	Expression/transfection ready cDNA ORF clone of Human OR10G3 with C terminal DYKDDDDK tag is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	942 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGGAAAGAA TCAACAGCAC ACTGTTGACT GCGTTTATCC TGACAGGAAT TCCGTATCCA CTCAGGCTAA GGACACTCTT TTTTGTGTTT TTTTTTCTAA TCTACATCCT GACTCAGCTG GGAAACCTGC TTATTTTAAT CACTGTCTGG GCAGACCCAA GGCTCCATGC CCGCCCCATG TACATCTTTC TTGGTGTCT CTCAGTCATT GATATGAGCA TCTCCTCCAT CATTGTCCCT CGCCTCATGA TGAACCTCAC TTTAGGTGTC AAACCCATCC CATTGGTGG CTGTGTTGCT

Order at www.genomics-online.com

USA & Canada: +1 877 302 8632 | support@antibodies-online.com

Product Details

CAACTCTATT TCTATCACTT CCTGGGCAGC ACCCAGTGCT TCCTCTACAC CCTAATGGCC
TATGACAGGT ACCTGGCAAT ATGTCAGCCC CTGCGCTACC CTGTGCTCAT GACTGCTAAG
CTGAGCGCCT TGCTTGTGGC TGGAGCCTGG ATGGCAGGAT CCATCCATGG GGCTCTCCAG
GCCATCCTAA CCTTCCGCCT GCCCTACTGT GGGCCCAATC AAGTGGATTA CTTCTTCTGT
GACATCCCTG CAGTGTTGAG ACTGGCCTGT GCTGACACAA CAGTCAACGA GCTGGTGACG
TTTGTAGACA TTGGGGTGGT GGTGCCAGT TGCTTCTCCC TGATCCTCCT CTCCTACATA
CAGATCATTC AGGCCATCCT GAGAATCCAC ACAGCTGATG GCGGCGCCG GGCTTTTTCA
ACTTGTGGAG CCCATGTAAC CGTGGTCACC GTGTACTATG TGCCCTGTGC CTTTCATCTAC
CTGAGGCCTG AAACCAACAG CCCCTGGAT GGGGCAGCTG CCCTAGTCCC CACGGCCATC
ACTCCTTTCC TCAACCCCT TATCTACACT CTGCGGAACC AAGAGGTGAA GCTGGCCCTG
AAAAGAATGC TCAGAAGCCC AAGAACTCCG AGTGAGGTTT GA

Specificity:	ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning technology
Characteristics:	Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database (RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is encoded by the open reading frame (ORF) sequence.
Sequencing Primer:	<ul style="list-style-type: none">• Forward primer: 5'-TAATACGACTCACTATAGGG-3'• Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'
Grade:	End-sequenced
Components:	The GenEZ ORF clone is delivered as 10 µg of lyophilized plasmid DNA in a vial.

Target Details

Gene:	OR10G3
Alternative Name:	OR10G3 (OR10G3 Products)
Background:	Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008].

Order at www.genomics-online.com

USA & Canada: +1 877 302 8632 | support@antibodies-online.com

Target Details

Gene ID: 26533

NCBI Accession: [NM_001005465](#)

Application Details

Restrictions: For Research Use only

Handling

Format: Lyophilized

Storage: RT/-20 °C

Storage Comment:

- Keep the vial sealed and store at -20°C for long-term storage.
- Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.
- Open the lid and add 100 µl (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA.
- If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.
- Close the lid and vortex the vial for 1 minute.
- Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.

Expiry Date: 12 months

Publications

Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)