# -online.com **QENOMICS**



Datasheet for ABIN4926687

# Human NDUFC2-KCTD14 ORF Clone in Mammalian Expression Vector (DYKDDDK Tag)

Overview	
Quantity:	10 μg
Gene:	NDUFC2-KCTD14
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Expression/transfection ready cDNA ORF clone of Human NDUFC2-KCTD14 with C terminal
	DYKDDDDK tag is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	405 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGATCGCAC GGCGGAACCC AGAACCCTTA CGGTTTCTGC CGGATGAGGC CCGGAGCCTG CCCCCGCCCA AGCTGACCGA CCCGCGGCTC CTCTACATCG GCTTCTTGGG CTACTGCTCC GGCCTGATTG ATAACCTAAT CCGGCGGAGG CCGATCGCGA CGGCTGGTTT GCATCGCCAG CTTCTATATA TTACGGCCTT TTTTTTTGCT GGATATTATC TTGTAAAACG TGAAGACTAC

## **Product Details**

	CTGTATGCTG TGAGGGACCG TGAAATGTTT GGATATATGA AATTACATCC AGAGGATTTT CCTGAAGAAG GGGGTGACAT TGGCCTCTGT TGCTTGTCCC CAGGATCCCT CTCTGACACC CCTGCTGTGT TTGCTGTGGG GAGTTCTGCT GCCACCACCC ATTAG
Specificity:	ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning technology
Characteristics:	Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database (RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is encoded by the open reading frame (ORF) sequence.
Sequencing Primer:	<ul> <li>Forward primer: 5'-TAATACGACTCACTATAGGG-3'</li> <li>Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'</li> </ul>
Grade:	End-sequenced
Components:	The GenEZ ORF clone is delivered as 10 µg of lyophilized plasmid DNA in a vial.
Target Details	
Gene:	NDUFC2-KCTD14
Alternative Name:	NDUFC2-KCTD14
Background:	This locus represents naturally occurring read-through transcription between the neighboring NDUFC2 (NADH dehydrogenase (ubiquinone) 1, subcomplex unknown, 2, 14.5 kDa) and KCTD14 (potassium channel tetramerisation domain containing 14) genes on chromosome 11 The read-through transcripts share sequence identity with the upstream gene product and one variant has a frameshifted C-terminal region derived from the downstream gene exons. [provided by RefSeq, Feb 2011].
Gene ID:	100532726
NCBI Accession:	NM_001203260
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized

## Handling

#### Storage Comment:

- Keep the vial sealed and store at -20°C for long-term storage.
- Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.
- Open the lid and add 100  $\mu$ l (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA.
- If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.
- Close the lid and vortex the vial for 1 minute.
- Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.

**Expiry Date:** 

12 months

#### **Publications**

Product cited in:

Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)