# -online.com genomics



Datasheet for ABIN4926688

## Human NDUFC2-KCTD14 ORF Clone in Mammalian Expression Vector (DYKDDDK Tag)

Overview	
Quantity:	10 μg
Gene:	NDUFC2-KCTD14
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Expression/transfection ready cDNA ORF clone of Human NDUFC2-KCTD14 with C terminal
	DYKDDDDK tag is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	261 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGATCGCAC GGCGGAACCC AGAACCCTTA CGGTTTCTGC CGGATGAGGC CCGGAGCCTG CCCCCGCCCA AGCTGACCGA CCCGCGGCTC CTCTACATCG GCTTCTTGGG CTACTGCTCC GGCCTGATTG ATAACCTAAT CCGGCGGAGG CCGATCGCGA CGGCTGGGGG TGACATTGGC
	CTCTGTTGCT TGTCCCCAGG ATCCCTCTCT GACACCCCTG CTGTGTTTGC TGTGGGGAGT

### **Product Details**

	TCTGCTGCCA CCACCCATTA G
Specificity:	ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning technology
Characteristics:	Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database
Characteristics.	(RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is
	encoded by the open reading frame (ORF) sequence.
Sequencing Primer:	<ul> <li>Forward primer: 5'-TAATACGACTCACTATAGGG-3'</li> <li>Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'</li> </ul>
Grade:	End-sequenced
Components:	The GenEZ ORF clone is delivered as 10 µg of lyophilized plasmid DNA in a vial.
Target Details	
Gene:	NDUFC2-KCTD14
Alternative Name:	NDUFC2-KCTD14
Background:	This locus represents naturally occurring read-through transcription between the neighboring
	NDUFC2 (NADH dehydrogenase (ubiquinone) 1, subcomplex unknown, 2, 14.5 kDa) and
	KCTD14 (potassium channel tetramerisation domain containing 14) genes on chromosome 11.
	The read-through transcripts share sequence identity with the upstream gene product and one
	variant has a frameshifted C-terminal region derived from the downstream gene exons.
	[provided by RefSeq, Feb 2011].
Gene ID:	100532726
NCBI Accession:	NM_001203262
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Storage:	RT/-20 °C
Storage Comment:	Keep the vial sealed and store at -20°C for long-term storage.

### Handling

- Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.
- Open the lid and add 100  $\mu$ l (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA.
- If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.
- Close the lid and vortex the vial for 1 minute.
- Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.

Expiry Date:

12 months

#### **Publications**

Product cited in:

Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)