-online.com Jenomics



Human KRTAP19-8 ORF Clone in Mammalian Expression Vector (DYKDDDDK Tag)

Overview

Quantity:	10 µg
Gene:	KRTAP19-8
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Expression/transfection ready cDNA ORF clone of Human KRTAP19-8 with C terminal
	DYKDDDDK tag is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	192 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGAGCTACT ACAGAAGCTA TTATGGAGGC CTGGGCTATG GCTATGGAGG CTTTGGTGGC
	TGGGGCTATG GCTATGGCTG CGGCTATGGC AGCTTCCGCA GGTTGGGCTA TGGCTGTGGC
	TACGGAGGCT ATGGATTCAG CTGTTGCCGA CCATTATACT ACGGAGGATA TGGATTCTCT
	GCCTTCTACT GA

Product Details	
Specificity:	ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning technology
Characteristics:	Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database (RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is encoded by the open reading frame (ORF) sequence.
Sequencing Primer:	 Forward primer: 5'-TAATACGACTCACTATAGGG-3' Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'
Grade:	End-sequenced
Components:	The GenEZ ORF clone is delivered as 10 μg of lyophilized plasmid DNA in a vial.
Target Details	
Gene:	KRTAP19-8
Alternative Name:	KRTAP19-8
Gene ID:	728299
NCBI Accession:	NM_001099219
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Storage:	RT/-20 °C

Expiry Date:

Storage Comment:

12 months

Keep the vial sealed and store at -20°C for long-term storage.
Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.

• If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.

• Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.

of distilled water (or TE buffer) to dissolve the DNA.

• Close the lid and vortex the vial for 1 minute.

• Open the lid and add 100 µl (or other volume depending on your desired final concentration)

Publications	
Product cited in:	Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (
	1991)