## -online.com genomics





## **Human KAAG1 ORF Clone in Mammalian Expression Vector (DYKDDDK Tag)**

Overview	
Quantity:	10 μg
Gene:	KAAG1
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Expression/transfection ready cDNA ORF clone of Human KAAG1 with C terminal DYKDDDDK
	tag is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	255 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGGATGACG ACGCGGCGC CCGCGTAGAA GGGGTCCCCG TTGCGGTACA CAAGCACGCT CTTCACGACG GGCTGAGACA GGTGGCTGGA CCTGGCGCTG CTGCCGCTCA TCTTCCCCGC TGGCCGCCGC CTCAGCTCGC TGCTTCGCGT CGGGAGGCAC CTCCGCTGTC CCAGCGGCCT CACCGCACCC AGGGCGCGGG ATCGCCTCCT GAAACGAACG AGAAACTGAC GAATCCACAG GTGAAAGAGA AGTAA

## **Product Details** Specificity: ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning technology Characteristics: Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database (RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is encoded by the open reading frame (ORF) sequence. • Forward primer: 5'-TAATACGACTCACTATAGGG-3' Sequencing Primer: • Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3' Grade: End-sequenced Components: The GenEZ ORF clone is delivered as 10 µg of lyophilized plasmid DNA in a vial. **Target Details** KAAG1 Gene: Alternative Name: KAAG1 (KAAG1 Products) Gene ID: 353219 NCBI Accession: NM\_181337 **Application Details** For Research Use only Restrictions: Handling Format: Lyophilized RT/-20 °C Storage: Storage Comment: · Keep the vial sealed and store at -20°C for long-term storage. • Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C. • Open the lid and add 100 µl (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA. • If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA. Close the lid and vortex the vial for 1 minute. Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.

12 months

**Expiry Date:** 

## **Publications**

Product	cited	in:

Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)