## -online.com genomics



Datasheet for ABIN4929434

## **Human GAGE13 ORF Clone in Mammalian Expression Vector (DYKDDDK Tag)**

Overview		
Quantity:	10 μg	
Gene:	G Antigen 13 (GAGE13)	
Species:	Human	
Fusion tag:	DYKDDDDK Tag	
Insert:	ORF	
Vector:	Mammalian Expression Vector	
Application:	Protein Expression (PExp)	
Product Details		
Purpose:	Expression/transfection ready cDNA ORF clone of Human GAGE13 with C terminal DYKDDDDK	
	tag is ideal for express proteins in E.coli & mammalian cells.	
Brand:	GenEZ™	
Insert Length:	354 bp	
Vector Backbone:	pcDNA3.1+C-(K)-DYK	
Promoter:	CMV Promoter	
Selectable Marker:	Neomycin	
Bacterial Resistance:	Ampicillin	
Expression Type:	Transient, Stable	
Sequence:	ATGAGTTGGC GAGGAAGATC GACCTATTAT TGGCCTAGAC CAAGACGCTA CGTAGAGCCT	
	CCTGAAATGA TTGGGCCTAT GCGGCCCGAG CAGTTCAGTG ATGAAGTGGA ACCAGCAACA	
	CCTGAAGAAG GGGAACCAGC AACTCAACGT CAGGATCCTG CAGCTGCTCA GGAGGGAGAG	
	GATGAGGGAG CATCTGCAGG TCAAGGGCCG AAGCCTGAAG CTGATAGCCA GGAACAGGGT	
	CACCCACAGA CTGGGTGTGA GTGTGAAGAT GGTCCTGATG GGCAGGAGAT GGACCCGCCA	

## **Product Details**

Troduct Details	
	AATCCAGAGG AGGTGAAAAC GCCTGAAGAA GGTGAAAAGC AATCACAGTG TTAA
Specificity:	ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning
	technology
Characteristics:	Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Databas
	(RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which i
	encoded by the open reading frame (ORF) sequence.
Sequencing Primer:	Forward primer: 5'-TAATACGACTCACTATAGGG-3'
	Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'
Grade:	End-sequenced
Components:	The GenEZ ORF clone is delivered as 10 µg of lyophilized plasmid DNA in a vial.
Target Details	
Gene:	G Antigen 13 (GAGE13)
Alternative Name:	GAGE13 (GAGE13 Products)
Gene ID:	645051
NCBI Accession:	NM_001098412
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Storage:	RT/-20 °C
Storage Comment:	Keep the vial sealed and store at -20°C for long-term storage.
	• Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.
	• Open the lid and add 100 μl (or other volume depending on your desired final concentration)
	of distilled water (or TE buffer) to dissolve the DNA.
	<ul> <li>If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.</li> <li>Close the lid and vortex the vial for 1 minute.</li> </ul>
	<ul> <li>Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.</li> </ul>
Expiry Date:	12 months

## **Publications**

Product	cited	in:

Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)