-online.com genomics



Datasheet for ABIN4930056

Human C190RF69 ORF Clone in Mammalian Expression Vector (DYKDDDDK Tag)

Overview	
Quantity:	10 μg
Gene:	C19orf69 (C19ORF69)
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Expression/transfection ready cDNA ORF clone of Human ERICH4 with C terminal DYKDDDDK
	tag is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	393 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGGAACTGT GGAGGCAGCT GAATCAGGCT GGACTGGTGC CTCCGGGGCT GGGCCCACCC
	CCCCAGGCCC TGAGGGAGGT CTCCCCAGTG GAAATCCCTG GTCAGACCCT CAGGACTGCA
	GGGGCAGACA CTGGAGGTGC CTGCGATAGT CTGCTGTGGA TCAGGGAGGA GCTGGGGAAC
	CTGCGCCGAG TGGATGTCCA GCTGCTGGGA CAGCTGTGCA GCCTGGGGCT GGAGATGGGG

Product Details

	GCGCTGCGGG AGGAACTGGT CACCATATTG GAGGAGGAGG AGGAGAGCAG CAAGGAAGAG
	GAGGAGGATC AAGAGCCCCA GAGGAAGCAG GAGGAGGAAC ACCTGGAGGC CTGCCCAGCC
	CCACATCCAC CTGACTTTGA GATGATGATC TGA
Specificity:	ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning technology
Characteristics:	Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database (RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is
	encoded by the open reading frame (ORF) sequence.
Sequencing Primer:	Forward primer: 5'-TAATACGACTCACTATAGGG-3'
	Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'
Grade:	End-sequenced
Components:	The GenEZ ORF clone is delivered as 10 μg of lyophilized plasmid DNA in a vial.
Target Details	
Gene:	C19orf69 (C19ORF69)
Alternative Name:	ERICH4 (C190RF69 Products)
Gene ID:	100170765
NCBI Accession:	NM_001130514
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Storage:	RT/-20 °C
Storage Comment:	Keep the vial sealed and store at -20°C for long-term storage.
	• Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.
	 Open the lid and add 100 µl (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA.
	 If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.
	Close the lid and vortex the vial for 1 minute.
	 Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.

Handling	
Expiry Date:	12 months
Publications	
Product cited in:	Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (
	1991)