-online.com genomics

Datasheet for ABIN4931468

Human CGB7 ORF Clone in Mammalian Expression Vector (DYKDDDDK Tag)

Overview	
Quantity:	10 µg
Gene:	CGB7
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Expression/transfection ready cDNA ORF clone of Human CGB7 with C terminal DYKDDDDK
	tag is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	498 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGGAGATGT TCCAGGGGCT GCTGCTGTTG CTGCTGCTGA GCATGGGCGG GACATGGGCA
	TCCAGGGAGA TGCTTCGGCC ACGGTGCCGC CCCATCAATG CCACCCTGGC TGTGGAGAAG
	GAGGGCTGCC CCGTGTGCAT CACCGTCAAC ACCACCATCT GTGCCGGCTA CTGCCCCACC
	ATGACCCGCG TGCTGCAGGG GGTCCTGCCG GCCCTGCCTC AGGTGGTGTG CAACTACCGC
	GATGTGCGCT TCGAGTCCAT CCGGCTCCCT GGCTGCCCGC GCGGCGTGAA CCCCGTGGTC

Product Details

	TCCTACGCCG TGGCTCTCAG CTGTCAATGT GCACTCTGCC GCCGCAGCAC CACTGACTGC
	GGGGGTCCCA AGGACCACCC CTTGACCTGT GATGACCCCC GCTTCCAGGC CTCCTCTCC
	TCAAAGGCCC CTCCCCCAG CCTTCCAAGT CCATCCCGAC TCCCGGGGCC CTCAGACACC
	CCGATCCTCC CACAATAA
Specificity:	ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning technology
Characteristics:	Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database
	(RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is
	encoded by the open reading frame (ORF) sequence.
Sequencing Primer:	Forward primer: 5'-TAATACGACTCACTATAGGG-3'
	Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'
Grade:	End-sequenced
Components:	The GenEZ ORF clone is delivered as 10 μg of lyophilized plasmid DNA in a vial.

Target Details

Gene:	CGB7
Alternative Name:	CGB7 (CGB7 Products)
Background:	This gene is a member of the glycoprotein hormone beta chain family and encodes the beta 7 subunit of chorionic gonadotropin (CG). Glycoprotein hormones are heterodimers consisting of a common alpha subunit and an unique beta subunit which confers biological specificity. CG is produced by the trophoblastic cells of the placenta and stimulates the ovaries to synthesize the steroids that are essential for the maintenance of pregnancy. The beta subunit of CG is encoded by 6 genes which are arranged in tandem and inverted pairs on chromosome 19q13.3 and contiguous with the luteinizing hormone beta subunit gene. [provided by RefSeq, Jul 2008].
Gene ID:	94027
NCBI Accession:	NM_033142

Application Details

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Storage:	RT/-20 °C
Storage Comment:	 Keep the vial sealed and store at -20°C for long-term storage. Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C. Open the lid and add 100 µl (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA. If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA. Close the lid and vortex the vial for 1 minute. Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.
Expiry Date:	12 months
Publications	
Product cited in:	Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)