## -online.com







## **Human CARD17 ORF Clone in Mammalian Expression Vector (DYKDDDK Tag)**

Overview			
Quantity:	10 μg		
Gene:	CARD17		
Species:	Human		
Fusion tag:	DYKDDDDK Tag		
Insert:	ORF		
Vector:	Mammalian Expression Vector		
Application:	Protein Expression (PExp)		
Product Details			
Purpose:	Expression/transfection ready cDNA ORF clone of Human CARD17 with C terminal DYKDDDDK		
	tag is ideal for express proteins in E.coli & mammalian cells.		
Brand:	GenEZ™		
Insert Length:	333 bp		
Vector Backbone:	pcDNA3.1+C-(K)-DYK		
Promoter:	CMV Promoter		
Selectable Marker:	Neomycin		
Bacterial Resistance:	Ampicillin		
Expression Type:	Transient, Stable		
Sequence:	ATGGCCGACA AGGTCCTGAA GGAGAAGAGA AAGCAGTTTA TCCGTTCAGT GGGCGAAGGT		
	ACAATAAATG GCTTACTGGG TGAATTATTG GAGACAAGGG TGCTGAGCCA GGAAGAGATA		
	GAGATAGTAA AATGTGAAAA TGCTACAGTT ATGGATAAGG CCCGAGCTTT GCTTGACTCT		
	GTTATTCGGA AAGGGGCTCC AGCATGCCAA ATTTGCATCA CATACATTTG TGAAGAAGAC		
	AGTCACCTGG CAGGGACGCT GGGACTCTCA GCAGGTCCAA CATCTGGAAA TCACCTTACT		

## **Product Details**

	ACACAAGATT CTCAAATAGT ACTTCCTTCC TAG
Specificity:	ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning technology
Characteristics:	Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database
Characteristics.	(RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which i
	encoded by the open reading frame (ORF) sequence.
Sequencing Primer:	<ul><li>Forward primer: 5'-TAATACGACTCACTATAGGG-3'</li><li>Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'</li></ul>
Grade:	End-sequenced
Components:	The GenEZ ORF clone is delivered as 10 $\mu g$ of lyophilized plasmid DNA in a vial.
Target Details	
Gene:	CARD17
Alternative Name:	CARD17 (CARD17 Products)
Gene ID:	440068
NCBI Accession:	NM_001007232
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Storage:	RT/-20 °C
Storage Comment:	Keep the vial sealed and store at -20°C for long-term storage.
	• Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.
	• Open the lid and add 100 μl (or other volume depending on your desired final concentration)
	of distilled water (or TE buffer) to dissolve the DNA.
	If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.  Olean the list and context the vial for 1 minutes.
	<ul> <li>Close the lid and vortex the vial for 1 minute.</li> <li>Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.</li> </ul>
	1 20 t and another phaethia britinana otore in ornan anyuoto at 20 o.
Expiry Date:	12 months

## **Publications**

Product	cited	in:

Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)