-online.com genomics



Datasheet for ABIN4932258

Human C2ORF91 ORF Clone in Mammalian Expression Vector (DYKDDDDK Tag)

Overview	
Quantity:	10 μg
Gene:	C2orf91 (C2ORF91)
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Expression/transfection ready cDNA ORF clone of Human C2orf91 with C terminal DYKDDDDK
	tag is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	396 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGGTGAGGA TGTCCAGACC ATTATTCCTC GATTGGGCCT GGAGACCCCT CTGCAGCCCC
	TCCCAATCTC TCCCACTGAC CTACGGACCA GAAGGCTGGA TTTTGCAATG GAAGGGAACT
	TGCAGGCAGC AGACAGCTCT GCACTGTCCC TTTGATTTTC CTCAGGCACC TCTGAGAGGG
	AGACACACTC TCAGCCAAGT ACCCAACAAG GGACATGAGA AGGCTTCTGC TGTGCAGCTG

Product Details

CCAGAGAAAC AGGGGACAGA TCAAAGCAGG AGAGGACCAA CATCTGCGGT AACCAAAGCA
AGGACAAGTT ACCCTGAGTC AGAAACCTTC ATTGTGTATT TGTGCAGTTA CTTTTGGAAC
TCAAGTAAAG GAGTTTACAT GTCAGGTTCC ACCTGA
ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning
technology
Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database
(RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is
encoded by the open reading frame (ORF) sequence.
Forward primer: 5'-TAATACGACTCACTATAGGG-3'
Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'
End-sequenced
The GenEZ ORF clone is delivered as 10 µg of lyophilized plasmid DNA in a vial.
C2orf91 (C2ORF91)
C2orf91
400950
NM_001242815
For Research Use only
Lyophilized
RT/-20 °C
Keep the vial sealed and store at -20°C for long-term storage.
• Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.
 Open the lid and add 100 µl (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA.
 If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.
 If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA. Close the lid and vortex the vial for 1 minute.

Handling	
Expiry Date:	12 months
Publications	
Product cited in:	Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (
	1991)