-online.com genomics



Datasheet for ABIN4932345

Human C10RF195 ORF Clone in Mammalian Expression Vector (DYKDDDDK Tag)

Overview				
Quantity:	10 μg			
Gene:	C10RF195			
Species:	Human			
Fusion tag:	DYKDDDDK Tag			
Insert:	ORF			
Vector:	Mammalian Expression Vector			
Application:	Protein Expression (PExp)			
Product Details				
Purpose:	Expression/transfection ready cDNA ORF clone of Human C1orf195 with C terminal DYKDDDDK tag is ideal for express proteins in E.coli & mammalian cells.			
Brand:	GenEZ™			
Insert Length:	216 bp			
Vector Backbone:	pcDNA3.1+C-(K)-DYK			
Promoter:	CMV Promoter			
Selectable Marker:	Neomycin			
Bacterial Resistance:	Ampicillin			
Expression Type:	Transient, Stable			
Sequence:	ATGCCGTCAT CCACTCTGAC CTGCAAACCT TTTGATCTCA AACAGCGATC TTCCAGGCGT GGCCCCAAAT CAACAGCATC AGCGTCACCC AGGAGCTGGA TTCTTTCCCA AAACCCAAAG GCCCAGTCCA GTCACGAGAA GACATCAGGC AAACCGAAAT TCAGGGAAGT TCTACAAAAC ACTAACCAGT ACTCTTCAAA GTTCTCAAGG TCATGA			

Product Details Specificity: ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning technology Characteristics: Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database (RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is encoded by the open reading frame (ORF) sequence. Forward primer: 5'-TAATACGACTCACTATAGGG-3' Sequencing Primer: • Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3' Grade: End-sequenced Components: The GenEZ ORF clone is delivered as 10 µg of lyophilized plasmid DNA in a vial. **Target Details** C10RF195 Gene: Alternative Name: C1orf195 (C10RF195 Products) Gene ID: 727684 NCBI Accession: NM_001278502 **Application Details** For Research Use only Restrictions: Handling Format: Lyophilized RT/-20 °C Storage: Storage Comment: · Keep the vial sealed and store at -20°C for long-term storage. • Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C. Open the lid and add 100 µl (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA. • If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA. Close the lid and vortex the vial for 1 minute. Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.

12 months

Expiry Date:

Publications

_	$r \cap$	Aı.	101	~ 11	ted	ın	•
	ינוו	u	11.11	(,)		- 11 1	

Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)