## genomics -online.com



Datasheet for ABIN4932375

## Human C190RF73 ORF Clone in Mammalian Expression Vector (DYKDDDDK Tag)

Overview	
Quantity:	10 μg
Gene:	C190RF73
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Expression/transfection ready cDNA ORF clone of Human C19orf73 with C terminal
	DYKDDDDK tag is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	390 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGAGGCTAA AGGTTGGATT TCAAGGCGGG GGCTGCTTCC GGAAAGACGC GCTGTGTTTG GAAGGTGGAG TGAGCGCCCG GTGGGCGAGG GCACCTCATT CTGCACCCCT GCGCCCGCCT CGGGAACTGC ACGCGGCACC CCCACCCGCG ACTCCCACGC AGACAGTAGT GCGGCCTGCA GGGTTCCCCC GGCGGACGAG GCTAATGGTT CGCTCCGCCC CGCCCACACA GAGGCCGCCC

## **Product Details**

1 Toddot Detailo	
	ACTGGCTCCG GCTGCGTTTC AGGACTCTGG AGGAAGGGAC TTGGCCTTCG CCCTCAGACG
	CTCTTAAGGG TAGGCAGCGT TGTCCTCAGT TCTGCCCCAG CACTCAGACC CAGACTGGGT
	CCCTGCCTCC GCCCTCCGCC CTCGGACTAG
Specificity:	ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning
	technology
Characteristics:	Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database
	(RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is
	encoded by the open reading frame (ORF) sequence.
Sequencing Primer:	Forward primer: 5'-TAATACGACTCACTATAGGG-3'
	Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'
Grade:	End-sequenced
Components:	The GenEZ ORF clone is delivered as 10 $\mu g$ of lyophilized plasmid DNA in a vial.
Target Details	
Gene:	C190RF73
Alternative Name:	C19orf73 (C19ORF73 Products)
Gene ID:	55150
NCBI Accession:	NM_018111
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Storage:	RT/-20 °C
Storage Comment:	Keep the vial sealed and store at -20°C for long-term storage.
	Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.      The standard st
	<ul> <li>Open the lid and add 100 µl (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA.</li> </ul>
	<ul> <li>If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.</li> </ul>
	Close the lid and vortex the vial for 1 minute.

Handling	
Expiry Date:	12 months
Publications	
Product cited in:	Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (
	1991)