

Datasheet for ABIN4932424

Human C16ORF92 ORF Clone in Mammalian Expression Vector (DYKDDDDK Tag)

Overview

Quantity:	10 µg
Gene:	C16orf92 (C16ORF92)
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PEXP)

Product Details

Purpose:	Expression/transfection ready cDNA ORF clone of Human C16orf92 with C terminal DYKDDDDK tag is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	333 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGAGGCTGT GGCCATGGGT GCTGGTGTGG GTGTGGCTGG CTGCACTAGG GGCCATAGAA ACTGCACCCA GACCCAAGCG TGCCACGGCG TCAGCCCTGG GGACAGAGTC TCCGCGCTTC TTAGACAGAC CTGACTTCTT CGATTATCCG GACTCAGACC AAGCCAGGCT GCTGGCTGTG GCCAGTTTA TTGGAGAGAA ACCCATCGTG TTCATTA ACT CAGGTTCCAG CCCC GGGCTC

Order at www.genomics-online.com

USA & Canada: +1 877 302 8632 | support@antibodies-online.com

Product Details

TTCCATCACA TCCTGGTGGG CTTGCTGGTG GTGGCGTTCT TCTTTCTCCT TTTCCAGTTC
TGCACCCACA TAAACTTCCA GAAAGGGGCC TAA

Specificity: ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning technology

Characteristics: Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database (RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is encoded by the open reading frame (ORF) sequence.

Sequencing Primer:

- Forward primer: 5'-TAATACGACTCACTATAGGG-3'
- Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'

Grade: End-sequenced

Components: The GenEZ ORF clone is delivered as 10 µg of lyophilized plasmid DNA in a vial.

Target Details

Gene: C16orf92 (C16ORF92)

Alternative Name: C16orf92

Gene ID: 146378

NCBI Accession: [NM_001109659](#)

Application Details

Restrictions: For Research Use only

Handling

Format: Lyophilized

Storage: RT/-20 °C

Storage Comment:

- Keep the vial sealed and store at -20°C for long-term storage.
- Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.
- Open the lid and add 100 µl (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA.
- If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.
- Close the lid and vortex the vial for 1 minute.
- Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.

Order at www.genomics-online.com

USA & Canada: +1 877 302 8632 | support@antibodies-online.com

Handling

Expiry Date: 12 months

Publications

Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)