## -online.com genomics





## **Human SPX ORF Clone in Mammalian Expression Vector (DYKDDDDK Tag)**

Overview	
Quantity:	10 μg
Gene:	Spexin (SPX)
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Expression/transfection ready cDNA ORF clone of Human SPX with C terminal DYKDDDDK tag
	is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	351 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGAAGGGAC TCAGAAGTCT GGCAGCAACA ACCTTGGCTC TTTTCCTGGT GTTTGTTTTC
	CTGGGAAACT CCAGCTGCGC TCCGCAGAGA CTGTTGGAGA GAAGGAACTG GACTCCTCAA
	GCTATGCTCT ACCTGAAAGG GGCACAGGGT CGCCGCTTCA TCTCCGACCA GAGCCGGAGA
	AAGGACCTCT CCGACCGGCC ACTGCCGGAA AGACGAAGCC CAAATCCCCA ACTACTAACT
	ATTCCGGAGG CAGCAACCAT CTTACTGGCG TCCCTTCAGA AATCACCAGA AGATGAAGAA

## **Product Details**

Troduct Details	
	AAAAACTTTG ATCAAACCAG ATTCCTGGAA GACAGTCTGC TTAACTGGTG A
Specificity:	ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning technology
Characteristics:	Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database (RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is encoded by the open reading frame (ORF) sequence.
Sequencing Primer:	<ul> <li>Forward primer: 5'-TAATACGACTCACTATAGGG-3'</li> <li>Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'</li> </ul>
Grade:	End-sequenced
Components:	The GenEZ ORF clone is delivered as 10 $\mu g$ of lyophilized plasmid DNA in a vial.
Target Details	
Gene:	Spexin (SPX)
Alternative Name:	SPX (SPX Products)
Gene ID:	80763
NCBI Accession:	NM_030572
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Storage:	RT/-20 °C
Storage Comment:	<ul> <li>Keep the vial sealed and store at -20°C for long-term storage.</li> <li>Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.</li> <li>Open the lid and add 100 µl (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA.</li> <li>If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.</li> <li>Close the lid and vortex the vial for 1 minute.</li> <li>Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.</li> </ul>
Expiry Date:	12 months

## **Publications**

n .		
Product	CITEC	ın.

Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)