-online.com **Genomics**



Datasheet for ABIN4935002

Human SPRR2G ORF Clone in Mammalian Expression Vector (DYKDDDK Tag)

Overview	
Quantity:	10 μg
Gene:	SPRR2G
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Expression/transfection ready cDNA ORF clone of Human SPRR2G with C terminal DYKDDDDK
	tag is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	222 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGTCTTACC AGCAGCAGCA GTGCAAGCAG CCCTGCCAGC CACCTCCTGT GTGCCCCACG
	CCAAAGTGCC CAGAGCCATG TCCACCCCCG AAGTGCCCTG AGCCTTACCT GCCTCCTCCT
	TGTCCACCTG AGCATTGCCC ACCTCCACCA TGCCAGGATA AATGCCCTCC TGTGCAACCA
	TACCCACCCT GCCAGCAGAA GTATCCACCC AAGAGCAAGT AA
Specificity:	ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning

Product Details

Product Details	
	technology
Characteristics:	Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database
	(RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is
	encoded by the open reading frame (ORF) sequence.
Sequencing Primer:	Forward primer: 5'-TAATACGACTCACTATAGGG-3' Decrease a prime are 5'-CACTATAGGG-3'-CACTATAGGG-3'-CACTATAGGG-3'-CACTATAGGG-3'-CACTATAGGGGG-3'-CACTATAGGGG-3'-CACTATAGGGGG-3'-CACTATAGGGGG-3'-CACTATAGGGGG-3'-CACTATAGGGGG-3'-CACTATAGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG
	Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'
Grade:	End-sequenced
Components:	The GenEZ ORF clone is delivered as 10 μg of lyophilized plasmid DNA in a vial.
Target Details	
Gene:	SPRR2G
Alternative Name:	SPRR2G (SPRR2G Products)
Gene ID:	6706
NCBI Accession:	NM_001014291
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Storage:	RT/-20 °C
Storage Comment:	Keep the vial sealed and store at -20°C for long-term storage.
	• Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.
	 Open the lid and add 100 µl (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA.
	 If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.
	Close the lid and vortex the vial for 1 minute.
	 Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.
Expiry Date:	12 months

Publications

Product	CITEC	ın.

Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)