

Datasheet for ABIN4936987

## Human OR10G8 ORF Clone in Mammalian Expression Vector (DYKDDDDK Tag)

### Overview

Quantity:	10 µg
Gene:	OR10G8
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PEXP)

### Product Details

Purpose:	Expression/transfection ready cDNA ORF clone of Human OR10G8 with C terminal DYKDDDDK tag is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	936 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	<p>ATGTCCAACG CCAGCCTACT GACAGCGTTC ATCCTCATGG GCCTCCCCA TGCCCCAGCG</p> <p>CTGGACGCC CCCTCTTTGG AGTCTTCTG GTGGTTTACG TGCTCACTGT GCTGGGGAAC</p> <p>CTCCTCATCC TGCTGGTGAT CAGGGTGGAT TCTCACCTCC ACACCACCAT GTACTACTTC</p> <p>CTCACCAACC TGTCGTTTAT TGACATGTGG TTCTCCACTG TCACGGTGCC CAAATTGCTG</p> <p>ATGACTTTGG TGTTCCTAAG TGGCAGGGCT ATCTCCTTCC ACAGCTGCAT GGCTCAGCTC</p>

Order at [www.genomics-online.com](http://www.genomics-online.com)

USA & Canada: +1 877 302 8632 | [support@antibodies-online.com](mailto:support@antibodies-online.com)

## Product Details

---

TATTTCTTTC ACTTCCTAGG GGGCACCGAG TGTTTCCTCT ACAGGGTCAT GTCCTGTGAT  
CGCTACCTGG CCATCAGTTA CCCGCTCAGG TACACCAGCA TGATGACTGG GCGCTCGTGT  
ACTCTTCTGG CCACCAGCAC TTGGCTCAGT GGCTCTCTGC ACTCTGCTGT CCAGGCCATA  
TTGACTTTCC ATTTGCCCTA CTGTGGACCC AACTGGATCC AGCACTATTT GTGTGATGCA  
CCGCCATCC TGAAACTGGC CTGTGCAGAC ACCTCAGCCA TAGAGACTGT CATTITTTGTG  
ACTGTTGGAA TAGTGGCCTC GGGCTGCTTT GTCCTGATAG TGCTGTCCTA TGTGTCCATC  
GTCTGTTCCA TCCTGCGGAT CCGCACCTCA GAGGGGAAGC ACAGAGCCTT TCAGACCTGT  
GCCTCCCACT GTATCGTGGT CCTTTGCTTC TTTGGCCCTG GTCTTTTCAT TTACCTGAGG  
CCAGGCTCCA GGAAAGCTGT GGATGGAGTT GTGGCCGTTT TCTACACTGT GCTGACGCCC  
CTTCTCAACC CTGTTGTGTA CACCCTGAGG AACAAGGAGG TGAAGAAAAGC TCTGTTGAAG  
CTGAAAGACA AAGTAGCACA TTCTCAGAGC AAATAG

Specificity:	ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning technology
Characteristics:	Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database (RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is encoded by the open reading frame (ORF) sequence.
Sequencing Primer:	<ul style="list-style-type: none"><li>• Forward primer: 5'-TAATACGACTCACTATAGGG-3'</li><li>• Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'</li></ul>
Grade:	End-sequenced
Components:	The GenEZ ORF clone is delivered as 10 µg of lyophilized plasmid DNA in a vial.

## Target Details

---

Gene:	OR10G8
Alternative Name:	OR10G8 ( <a href="#">OR10G8 Products</a> )
Background:	Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008].

Order at [www.genomics-online.com](http://www.genomics-online.com)

USA & Canada: +1 877 302 8632 | [support@antibodies-online.com](mailto:support@antibodies-online.com)

## Target Details

---

Gene ID: 219869

NCBI Accession: [NM\\_001004464](#)

## Application Details

---

Restrictions: For Research Use only

## Handling

---

Format: Lyophilized

Storage: RT/-20 °C

Storage Comment:

- Keep the vial sealed and store at -20°C for long-term storage.
- Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C.
- Open the lid and add 100 µl (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA.
- If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA.
- Close the lid and vortex the vial for 1 minute.
- Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C.

Expiry Date: 12 months

## Publications

---

Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)