-online.com genomics

Datasheet for ABIN4937815

Human MBP ORF Clone in Mammalian Expression Vector (DYKDDDDK Tag)

Overview	
Quantity:	10 µg
Gene:	MBP
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Expression/transfection ready cDNA ORF clone of Human MBP with C terminal DYKDDDDK tag
	is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	561 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGGCGTCAC AGAAGAGACC CTCCCAGAGG CACGGATCCA AGTACCTGGC CACAGCAAGT
	ACCATGGACC ATGCCAGGCA TGGCTTCCTC CCAAGGCACA GAGACACGGG CATCCTTGAC
	TCCATCGGGC GCTTCTTTGG CGGTGACAGG GGTGCGCCCA AGCGGGGGCTC TGGCAAGGTA
	CCCTGGCTAA AGCCGGGCCG GAGCCCTCTG CCCTCTCATG CCCGCAGCCA GCCTGGGCTG
	TGCAACATGT ACAAGGACTC ACACCACCCG GCAAGAACTG CTCACTACGG CTCCCTGCCC

Product Details

	CAGAAGTCAC ACGGCCGGAC CCAAGATGAA AACCCCGTAG TCCACTTCTT CAAGAACATT GTGACGCCTC GCACACCACC CCCGTCGCAG GGAAAGGGGG CCGAAGGCCA GAGACCAGGA TTTGGCTACG GAGGCAGAGC GTCCGACTAT AAATCGGCTC ACAAGGGATT CAAGGGAGTC GATGCCCAGG GCACGCTTTC CAAAATTTTT AAGCTGGGAG GAAGAGATAG TCGCTCTGGA TCACCCATGG CTAGACGCTG A
Specificity:	ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning technology
Characteristics:	Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database (RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is encoded by the open reading frame (ORF) sequence.
Sequencing Primer:	 Forward primer: 5'-TAATACGACTCACTATAGGG-3' Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'
Grade:	End-sequenced
Components:	The GenEZ ORF clone is delivered as 10 μg of lyophilized plasmid DNA in a vial.

Target Details

Gene:	MBP
Alternative Name:	Myelin basic protein (MBP Products)
Background:	The protein encoded by the classic MBP gene is a major constituent of the myelin sheath of
	oligodendrocytes and Schwann cells in the nervous system. However, MBP-related transcripts
	are also present in the bone marrow and the immune system. These mRNAs arise from the
	long MBP gene (otherwise called 'Golli-MBP') that contains 3 additional exons located upstream
	of the classic MBP exons. Alternative splicing from the Golli and the MBP transcription start
	sites gives rise to 2 sets of MBP-related transcripts and gene products. The Golli mRNAs
	contain 3 exons unique to Golli-MBP, spliced in-frame to 1 or more MBP exons. They encode
	hybrid proteins that have N-terminal Golli aa sequence linked to MBP aa sequence. The second
	family of transcripts contain only MBP exons and produce the well characterized myelin basic
	proteins. This complex gene structure is conserved among species suggesting that the MBP
	transcription unit is an integral part of the Golli transcription unit and that this arrangement is
	important for the function and/or regulation of these genes. [provided by RefSeq, Jul 2008].
Gene ID:	4155
NCBI Accession:	NM_002385

Application Details		
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Storage:	RT/-20 °C	
Storage Comment:	 Keep the vial sealed and store at -20°C for long-term storage. Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C. Open the lid and add 100 µl (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA. If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA. Close the lid and vortex the vial for 1 minute. Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C. 	
Expiry Date:	12 months	
Publications		
Product cited in:	Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)	